

# SECURITIES AND EXCHANGE COMMISSION OF PAKISTAN

# BIDDING DOCUMENT PROCUREMENT OF WORKS

(For Smaller Contracts)

Renovation works at SECP's Head office, Islamabad.

# **Table of Contents**

INVIT	ATION FOR BIDS	4
INSTF	RUCTIONS TO BIDDERS	5
A. G	ENERAL	5
IB.1	Scope of Bid	5
IB.2	Source of Funds	5
IB.3	Eligible Bidders	5
IB.4	Cost of Bidding	5
B. B	IDDING DOCUMENTS	5
IB.5	Contents of Bidding Documents	5
IB.6	Clarification of Bidding Documents	7
IB.7	Amendment of Bidding Documents	7
C.	PREPARATION OF BIDS	3
IB.8	Language of Bid	3
IB.9	Documents Comprising the Bid	3
IB.10	Sufficiency of Bid	3
IB.11	Bid Prices, Currency of Bid and Payment	9
IB.12	Documents Establishing Bidder's Eligibility and Qualifications	9
IB.13	Bid Security	9
IB.14	Validity of Bids, Format, Signing and Submission of Bid 10	)
D.	SUBMISSION OF Bid10	)
Instru	ctions to Bidders16	ŝ
FORM	OF BID AND SCHEDULES TO BID19	9
LTB-1	20	)
PREA	MBLE TO SCHEDULE OF PRICES22	2
Detaile	ed BOQ's24	1
Qualif	cation Criteria25	5
List of	Drawings26	õ
Samp	e Contract/Agreement27	7
Forma	t of Affidavit/Undertaking defined.	
	ration of Ultimate Beneficial Owners Information for Public Procurement Contracts	

(2)

# INVITATION FOR BIDS



#### SECURITIES AND EXCHANGE COMMISSION OF PAKISTAN

T# 53/23-24

#### **Invitation For Bid**

Securities and Exchange Commission of Pakistan (SECP) intends to hire the contractor for the following Project:

#### Renovation works at SECP's Head office, Islamabad

SECP invites bids ONLY through **PPRA's e-Pak Acquisition & Disposal System (EPADS)** from the contractors for above mentioned Project who are registered with PEC and on Active Taxpayers List of the Federal/relevant Board of Revenue. Single Stage Two Envelope procedure as per PPRA Rules will be adopted.

Complete set of the bidding document containing scope of work, detailed terms and conditions, etc. can also be downloaded from <a href="https://eprocure.gov.pk/">https://eprocure.gov.pk/</a> OR <a href="https://eprocure.gov.pk/">https://

Pre-bid meeting shall be held at 1500Hrs on July 08, 2024, at NIC Building, 63 Jinnah Avenue Islamabad.

Bids in accordance with the instructions in the bidding document, should be submitted ONLY through EPADS on or before **July 23, 2024 by 1100Hrs**. Technical Proposal will be opened on the same day at **1130Hrs**. This advertisement is also available on PPRA's website at <a href="www.ppra.org.pk">www.ppra.org.pk</a> and SECP's website at <a href="www.secp.gov.pk">www.secp.gov.pk</a>

In case of any technical difficulty in using EPADS prospective bidders may contact PPRA at https://www.ppra.org.pk/

In case of any query, Admin Department may be contacted on Telephone No. 051-9195477 / 051-9195437 during office hours (Monday to Friday excluding Public Holidays)

M. Ubaidullah Khalid, Add. Joint Director Securities and Exchange Commission Pakistan NIC Building, 63 Jinnah Avenue Islamabad

Email: ubaidullah.khalid@secp.gov.pk, Phone: 051-9195437, 051-9195302

# INSTRUCTIONS TO BIDDERS

#### **INSTRUCTIONS TO BIDDERS**

(Note: These Instructions to Bidders along with Bidding Data Sheet will not be part of the Contract and will cease to have effect once the contract is signed.)

#### A. GENERAL

# IB.1 Scope of Bid

- 1.1 The Employer as defined in the Bidding Data Sheet hereinafter called "the Employer" wishes to receive bids for the construction and completion of works as described in these Bidding Documents, and summarized in the Bidding Data Sheet hereinafter referred to as the "Works".
- 1.2 Bidders must quote for the complete scope of work. Any Bid covering partial scope of work will be rejected as non-responsive.

#### **IB.2** Source of Funds

2.1 The Employer has arranged funds from its own sources. [or any other source which may be indicated accordingly]

# **IB.3** Eligible Bidders

- 3.1 Bidding is open to all firms and persons meeting the following requirements:
  - a) duly licensed by the Pakistan Engineering Council (PEC) in the appropriate category for value of Works.

#### **IB.4** Cost of Bidding

1.1 The bidders shall bear all costs associated with the preparation and submission of their respective bids and the Employer will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

#### **B. BIDDING DOCUMENTS**

## **IB.5** Contents of Bidding Documents

5.1 In addition to invitation for bids, the bidding documents are those stated below and should be read in conjunction with any Addenda issued in accordance with Clause IB.6.1.

- 1. Instructions to Bidders & Bidding Data.
- 2. Form of Bid & Schedules to Bid Schedules to Bid comprise the following:
  - (i) Schedule A: Schedule of Prices
  - (ii) Schedule B: Specific Works Data
  - (iii) Schedule C: Works to be Performed by Subcontractors
  - (iv) Schedule D: Proposed Programme of Works
  - (v) Schedule E: Method of Performing Works
  - (vi) Schedule F: Integrity Pact
- 3. Conditions of Contract & Contract Data
- 4. Standard Forms:
  - (i) Form of Bid Security
  - (ii) Form of Performance Security
  - (iii) Form of Contract Agreement
  - (iv) Form of Bank Guarantee for Advance Payment
- 5. Specifications
- 6. Drawings, if any

# **IB.6** Clarification of Bidding Documents

- 6.1 A prospective bidder requiring any clarification(s) in respect of the Bidding Documents may notify the Engineer/Employer at the Employer's/Engineer's address indicated in the Bidding Data.
- 6.2 The Engineer/Employer will respond to any request for clarification which it receives earlier than ten (10) days prior to the deadline for the submission of Bids. Copies of the Engineer/Employer's response will be forwarded to all prospective bidders, at least five (5) days prior to dead line for submission of Bids, who have received the Bidding Documents including a description of the enquiry but without identifying its source enquiring any clarification (s) in respect of the Bidding Documents may notify the Employer in writing at the Employer's address indicated in the Invitation for Bids. The Employer will respond to any request for clarification which he receives earlier than 5 days prior to the deadline for submission of bids.

Copies of the Employer's response will be forwarded to all purchasers of the Bidding Documents, including a description of the enquiry but without identifying its source.

#### **IB.7** Amendment of Bidding Documents

7.1 At any time prior to the deadline for submission of bids, the Employer may, for any reason, whether at his own initiative or in response to a clarification

- requested by a prospective bidder, modify the Bidding Documents by issuing addendum.
- 7.2 Any addendum thus issued shall be part of the Bidding Documents pursuant to Sub-Clause 6.1 hereof and shall be communicated in writing to all purchasers of the Bidding Documents. Prospective bidders shall acknowledge receipt of each addendum in writing to the Employer.
- 7.3 To afford prospective bidders reasonable time in which to take an addendum into account in preparing their bids, the Employer may extend the deadline for submission of Bids.

#### C. PREPARATION OF BIDS

#### IB.8 Language of Bid

8.1 The bid prepared by the bidder and all correspondence and documents relating to the Bid, exchanged by the bidder and the Employer shall be written in the English language, provided that any printed literature furnished by the bidder may be written in another language so long as accompanied by an English translation of its pertinent passages in which case, for purposes of interpretation of the Bid, the English translation shall govern.

# **IB.9** Documents Comprising the Bid

- 9.1 The bid prepared by the bidder shall comprise the following components:
  - a) Covering Letter
  - b) Form of Bid duly filled, signed and sealed, in accordance with Sub-Clause IB.14.3.
  - c) Schedules (A to F) to Bid duly filled and initialed, in accordance with the instructions contained therein & in accordance with Sub-Clause IB14.3.
  - d) Bid Security furnished in accordance with Clause IB.13.
  - e) Power of Attorney in accordance with Sub-Clause IB 14.5.
  - f) Documentary evidence in accordance with Clause IB.11
  - g) Documentary evidence in accordance with Clause IB.12.

# IB.10 Sufficiency of Bid

10.1 Each bidder shall satisfy himself before Bidding as to the correctness and sufficiency of his Bid and of the rates and prices entered in the Schedule of Prices, which rates and prices shall except in so far as it is otherwise expressly provided in the Contract, cover all his obligations under the Contract and all matters and things necessary for the proper completion of the Works.

10.2 The bidder is advised to obtain for himself at his own cost and responsibility all information that may be necessary for preparing the bid and entering into a Contract for execution of the Works.

# **IB.11 Bid Prices, Currency of Bid and Payment**

- 11.1 The bidder shall fill up the Schedule of Prices (Schedule A to Bid) indicating the unit rates and prices of the Works to be performed under the Contract. Prices in the Schedule of Prices shall be entered keeping in view the instructions contained in the Preamble to Schedule of Prices.
- 11.2 Unless otherwise stipulated in the Conditions of Contract, prices quoted by the bidder shall remain fixed during the bidder's performance of the Contract and not subject to variation on any account.
- 11.3 The unit rates and prices in the Schedule of Prices shall be quoted by the bidder in the currency as stipulated in Bidding Data.

# IB.12 Documents Establishing Bidder's Eligibility and Qualifications

- 12.1 Pursuant to Clause IB.8, the bidder shall furnish, as part of its bid, documents establishing the bidder's eligibility to bid and its qualifications to perform the Contract if its bid is accepted.
- 12.2 Bidder/Manufacturer must possess and provide evidence of its capability and the experience as stipulated in Bidding Data and the Qualification Criteria stipulated in the Bidding Documents.

# **IB.13 Bid Security**

- 13.1 Each bidder shall furnish, as part of his bid, at the option of the bidder, a Bid Security in the amount stipulated in Bidding Data in Pak. Rupees in the form of Deposit at Call or a Bank Guarantee issued by a Scheduled Bank in Pakistan or an insurance company having at least AA rating from PACRA/JCR in favour of the Employer valid for a period up to twenty eight (28) days beyond the bid validity date.
- 13.2 Any bid not accompanied by an acceptable Bid Security shall be rejected by the Employer as non-responsive.
- 13.3 The bid securities of unsuccessful bidders will be returned upon award of contract to the successful bidder or on the expiry of validity of Bid Security whichever is earlier.
- 13.4 The Bid Security of the successful bidder will be returned when the bidder has furnished the required Performance Security, pursuant to Clause IB.21 and signed the Contract Agreement, pursuant to Sub-Clauses IB.20.2 & 20.3.
- 13.5 The Bid Security may be forfeited:
  - a) if a bidder withdraws his bid during the period of bid validity; or
  - b) if a bidder does not accept the correction of his Bid Price, pursuant to Sub-Clause 16.4 (b) hereof; or
  - c) in the case of a successful bidder, if he fails to:

- (i) furnish the required Performance Security in accordance with Clause IB.21, or
- (ii) sign the Contract Agreement, in accordance with Sub-Clauses IB.20.2 & 20.3.

# IB.14 Validity of Bids, Format, Signing and Submission of Bid

- 14.1 Bids shall remain valid for the period stipulated in the Bidding Data after the date of bid opening.
- 14.2 All Schedules to Bid are to be properly completed and signed.
- 14.3 No alteration is to be made in the Form of Bid except in filling up the blanks as directed. If any alteration be made or if these instructions be not fully complied with, the bid may be rejected.
- 14.4 Each bidder shall prepare Original and number of copies specified in the Bidding Data of the documents comprising the bid as described in Clause IB.8 and clearly mark them "ORIGINAL" and "COPY" as appropriate. In the event of discrepancy between them, the original shall prevail.
- 14.5 The original and all copies of the bid shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign (in the case of copies, Photostats are also acceptable). This shall be indicated by submitting a written Power of Attorney authorizing the signatory of the bidder to act for and on behalf of the bidder. All pages of the bid shall be initialed and official seal be affixed by the person or persons signing the bid.
- 14.6 The Bid shall be delivered in person or sent by registered mail at the address to Employer as given in Bidding Data.

#### D. SUBMISSION OF Bid

# **IB.15** Deadline for Submission, Modification & Withdrawal of Bids

- 15.1 Bids must be received by the Employer at the address/provided in Bidding Data not later than the time and date stipulated therein.
- 15.2 Bids submitted through telegraph, telex, fax or e-mail shall not be considered.
- 15.3 Any bid received by the Employer after the deadline for submission prescribed in Bidding Data will be returned unopened to such bidder.
- 15.4 Any bidder may modify or withdraw his bid after bid submission provided that the modification or written notice of withdrawal is received by the Employer prior to the deadline for submission of bids.

15.5 Withdrawal of a bid during the interval between the deadline for submission of bids and the expiration of the period of bid validity specified in the Form of Bid may result in forfeiture of the Bid Security pursuant to Sub-Clause IB.13.5 (a).

# **E BID OPENING AND EVALUATION**

#### **IB. 16 Bid Opening, Clarification and Evaluation**

- 16.1 The Employer will open the bids, in the presence of bidders' representatives who choose to attend, at the time, date and location stipulated in the Bidding Data.
- 16.2 The bidder's name, Bid Prices, any discount, the presence or absence of Bid Security, and such other details as the Employer at its discretion may consider appropriate, will be announced by the Employer at the bid opening. The Employer will record the minutes of the bid opening. Representatives of the bidders who choose to attend shall sign the attendance sheet.
- 16.3 Any Bid Price or discount which is not read out and recorded at bid opening will not be taken into account in the evaluation of bid.
- 16.4 To assist in the examination, evaluation and comparison of Bids the Engineer/Employer may, at its discretion, ask the bidder for a clarification of its Bid. The request for clarification and the response shall be in writing and no change in the price or substance of the Bid shall be sought, offered or permitted.
  - a) Prior to the detailed evaluation, pursuant to Sub-Clauses IB.16.7 to 16.9, the Engineer/Employer will determine the substantial responsiveness of each bid to the Bidding Documents. For purpose of these Clauses, a substantially responsive bid is one which conforms to all the terms and conditions of the Bidding Documents without material deviations. It will include to determine the requirements listed in Bidding Data.
  - b) Arithmetical errors will be rectified on the following basis:
    - If there is a discrepancy between the unit price and total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected. If there is a discrepancy between the words and figures the amount in words shall prevail. If there is a discrepancy between the Total Bid price entered in Form of Bid and the total shown in Schedule of Prices-Summary, the amount stated in the Form of Bid will be corrected by the Employer in accordance with the Corrected Schedule of Prices.

If the bidder does not accept the corrected amount of Bid, his Bid will be rejected and his Bid Security forfeited.

- 16.5 A Bid determined as substantially non-responsive will be rejected and will not subsequently be made responsive by the bidder by correction of the nonconformity.
- 16.6 Any minor informality or non-conformity or irregularity in a Bid which does not constitute a material deviation may be waived by Employer, provided such waiver does not prejudice or affect the relative ranking of any other bidders.

16.7 The Engineer/Employer will evaluate and compare only the bids previously determined to be substantially responsive pursuant to Sub-Clauses IB.16.4 to 16.6 as per requirements given hereunder. Bids will be evaluated for complete scope of works. The prices will be compared on the basis of the Evaluated Bid Price pursuant to Sub-Clause 16.8 herein below.

#### a) Technical Evaluation

It will be examined in detail whether the Works offered by the bidder complies with the Technical Provisions of the Bidding Documents. For this purpose, the bidder's data submitted with the bid in Schedule B to Bid will be compared with technical features/criteria of the Works detailed in the Technical Provisions. Other technical information submitted with the bid regarding the Scope of Work will also be reviewed.

#### b) Commercial Evaluation

It will be examined in detail whether the bids comply with the commercial/contractual conditions of the Bidding Documents. It is expected that no material deviation/stipulation shall be taken by the bidders.

#### 16.8 Evaluated Bid Price

In evaluating the bids, the Engineer/Employer will determine for each bid in addition to the Bid Price, the following factors (adjustments) in the manner and to the extent indicated below to determine the Evaluated Bid Price:

- (i) making any correction for arithmetic errors pursuant to Sub-Clause 16.4 hereof.
- (ii) making an appropriate price adjustment for any other acceptable variation or deviation.
- (iii) making an appropriate price adjustment for Deviations in terms of Payments (if any and acceptable to the Employer).
- (iv) discount, if any, offered by the bidders as also read out and recorded at the time of bid opening.

#### 16.9 Evaluation Methods

Pursuant to Sub-Clause 16.8, Para (ii), and (iii) following evaluation methods for price adjustments will be followed:

#### (i) Price Adjustment for Technical Compliance

The cost of making good any deficiency resulting from technical non-compliance will be added to the Corrected Total Bid Price for comparison purposes only. The adjustments will be applied taking the highest price quoted by other bidders being evaluated in detail in their original Bids for corresponding item. In case of non-availability of price from other bidders, the price will be estimated by the Engineer/Employer.

#### (ii) Price Adjustment for Commercial Compliance

The cost of making good any deficiency resulting from any quantifiable variations and deviations from the Bid Schedules and Conditions of

Contract, as determined by the Engineer/Employer will be added to the Corrected Total Bid Price for comparison purpose only. Adjustment for commercial compliance will be added to the Corrected Total Bid Prices.

(iii) Price Adjustment for Deviation in Terms of Payments

Refer to Bidding Data

#### **IB.17 Process to be Confidential**

- 17.1 Subject to Sub-Clause IB.16.3 heretofore, no bidder shall contact Engineer/Employer on any matter relating to its Bid from the time of the Bid opening to the time the bid evaluation result is announced by the Employer. The evaluation result shall be announced at least ten (10) days prior to award of Contract. The announcement to all bidders will include table(s) comprising read out prices, discounted prices, price adjustments made, final evaluated prices and recommendations against all the bids evaluated.
- 17.2 Any effort by a bidder to influence Engineer/Employer in the Bid evaluation, Bid comparison or Contract Award decisions may result in the rejection of his Bid. Whereas, any bidder feeling aggrieved may lodge a written complaint not later than fifteen (15) days after the announcement of the bid evaluation result, however, mere fact of lodging a complaint shall not warrant suspension of procurement process.

#### F. AWARD OF CONTRACT

#### **IB.18 Post Qualification**

- 18.1 The Employer, at any stage of the bid evaluation, having credible reasons for or prima facie evidence of any defect in supplier's or contractor's capacities, may require the suppliers or contractors to provide information concerning their professional, technical, financial, legal or managerial competence whether already pre-qualified or not:
  - Provided that such qualification shall only be laid down after recording reasons therefor in writing. They shall form part of the records of that bid evaluation report.
- 18.2 The determination will take into account the bidder's financial and technical capabilities. It will be based upon an examination of the documentary evidence of the bidders' qualifications submitted under Clause IB.11, as well as such other information required in the Bidding Documents.

# IB.19 Award Criteria & Employer's Right

19.1 Subject to Sub-Clause IB.19.2, the Employer will award the Contract to the bidder whose bid has been determined to be substantially responsive to the Bidding Documents and who has offered the lowest evaluated Bid Price, provided that such bidder has been determined to be qualified to satisfactory perform the Contract in accordance with the provisions of Clause IB.18.

19.2 Not with standing Sub-Clause IB.19.1, the Employer reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids, at any time prior to award of Contract, without thereby incurring any liability to the affected bidders or any obligation to inform the affected bidders of the grounds for the Employer's action except that the grounds for its rejection of all bids shall upon request be communicated, to any bidder who submitted a bid, without justification of the grounds. Notice of the rejection of all the bids shall be given promptly to all the bidders.

## **IB.20** Notification of Award & Signing of Contract Agreement

- 20.1 Prior to expiration of the period of bid validity prescribed by the Employer, the Employer will notify the successful bidder in writing ("Letter of Acceptance") that his Bid has been accepted.
- 20.2 Within seven (7) days from the date of furnishing of acceptable Performance Security under the Conditions of Contract, the Employer will send the successful bidder the Form of Contract Agreement provided in the Bidding Documents, incorporating all agreements between the parties.
- 20.3 The formal Agreement between the Employer and the successful bidder shall be executed within seven (7) days of the receipt of Form of Contract Agreement by the successful bidder from the Employer.

#### **IB.21 Performance Security**

- 21.1 The successful bidder shall furnish to the Employer a Performance Security in the form and the amount stipulated in the Bidding Data Sheet and the Conditions of Contract within a period of fourteen (14) days after the receipt of Letter of Acceptance.
- 21.2 Failure of the successful bidder to comply with the requirements of Sub-Clauses IB.20.2 & 20.3 or 21.1 or Clause IB.22 shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security.

#### **IB.22 Integrity Pact**

The Bidder shall sign and stamp the Form of Integrity Pact provided at Schedule-F to Bid in the Bidding Document for all Federal Government procurement contracts exceeding Rupees ten (10) million. Failure to provide such Integrity Pact shall make the bid non-responsive.

# **BIDDING DATA SHEET**

#### **Bidding Data Sheet**

#### INSTRUCTIONS TO BIDDERS

# 1.1 Name of Employer:

Securities and Exchange Commission of Pakistan (SECP) 63-NICL Building, Blue Area, Islamabad

The Employer's Representative is:

Mr. Zahid ul Hassan

Deputy Director (Admin)
Securities and Exchange Commission of Pakistan (SECP)
63-NICL Building, Blue Area, Islamabad

## 1.2 Time for completion

30 working days

# 2.1 Brief Description of Works:

Renovation works at SECP Head office Islamabad as per BOQ

#### 2.1(b) Basic Eligibility (mandatory Requirements)

The firms/ companies fulfilling the following basic requirements shall be considered for further evaluation (relevant documents to be attached):

- a) Valid Registration with PEC in Category "C-6 or above" for the local firms on the date of bid opening.
- b) Only registered supplier/service providers/contractors who are on Active Taxpayers List (Income and Sales Tax) of FBR/respective revenue boards are only eligible to supply goods/provide services to the Commission. Bids of all those who are not registered with the Federal Board of Revenue/Respective Revenue Boards for Income Tax and Sales Tax shall be rejected.
- c) In case bidder (if selected) is not in ATL at the time of payment then the payment shall be stopped till he files his mandatory returns and appears on ATL of FBR OR whole of the tax involved or as applicable to supplies on the basis of gross value of supplies shall be deducted.
- d) Declaration of Ultimate Beneficial Owners Information as per Annex-I
- e) Bidder must submit affidavit/undertaking (on stamp paper of Rs.100) duly notarized, failing which the bid shall be rejected, format is available at Annex-A.
- f) Submission of duly signed and initialed copy of Tender Document along with Appendices, Annexures & Attachments refereed therewith. Signing and stamping shall mean validation and compliance to all the details included in Tender Document.

g) Bidder to confirm that the Time of Completion of the Project shall be within 30 working days from the date of Award of Contract. Bidder shall provide an undertaking that Bidder(s) have proven available resources to implement and complete the project on fast track basis within Time of Completion.

5.1 (a) Employer's address:

Securities and Exchange Commission Pakistan (SECP)

63-NICL Building, Blue Area, Islamabad

Phone No.: 051-9195302

Email: zahid.hassan@secp.gov.pk

- 10.3 Bid shall be quoted entirely in Pak Rupees. The payment shall be made in Pak. Rupees.
- 11.2 The bidder has the financial and technical capability necessary to perform the Contract as follows. The bid will be evaluated as following criteria to ascertain "Technical Responsive" bidder. The applicant securing at least 65% Marks i.e. 32.5 out of 50, will be declared Technically Responsive. The financial proposal of only Technically Responsive Bidder will be considered for opening, Arithmetical Correctness and Financial Comparison. The "Technically Responsive and Most Advantageous Bidder i.e. lowest" will be awarded the contract.

Sr. No.	Category	Weightage / Marks
a)	PEC registration in C-6 or above	Must Requirement
b)	Tax return of the last three years along with company bank statement for one year. Please attach only the first page of every year's tax return.	Must Requirement
c)	Experience Record	50

a. Experience record

	a. Experience record	
Sr. No.	Description	Max Marks
	Completed Projects	
1.	Experience in the execution of five (5) projects of renovation/civil work of a similar nature of Rs. 7.0 million or above.  (06 marks for each project, maximum marks are 30).  Projects completed during the last 10 years will be appointed for evaluation.	30
	considered for evaluation.  In-Hand Projects	
2.	If the firm has five or more projects in hand: (04 marks for each project, maximum marks are 20).  If the firm has less than five projects in hand,	20

10 marks shall be awarded,	
Total For Experience Record:	50

**Note:** The Applicant shall attach evidence of Work Orders/ Letter of Acceptance or Completion Certificate for completed projects.

#### 13.1 Amount of Bid Security

Bid security an amount of PKR= 300,000/- in the form of pay order/ demand draft/CDR issued by scheduled bank of Pakistan in favour of Securities and Exchange Commission of Pakistan (SECP).

Pre-bid meeting: pre bid meeting shall be withheld at SECP Head Office Islamabad office on July 08, 2024 at 03:00PM at following address;

SECP Head Office, 63-NICL Building Blue Area Islamabad.

# 14.1 **Period of Bid Validity**

Bid shall remain valid for 90 days.

#### 14.4 Number of Copies of the Bid to be submitted

ONE and only though EPADS.

# 14.6 (a) Employer's Address for the Purpose of Bid Security Submission

M. Ubaidullah Khalid

Additional Joint Director (Admin)

Securities and Exchange Commission Pakistan

NIC Building, 63 Jinnah Avenue Islamabad

Phone No.: 051- 9195302/051-9195437

#### 15.1 **Deadline for Submission of Bids**

As per IFB

# 16.1 Venue, Time, and Date of Bid Opening

As per IFB

Time and Date of Bid Opening: As per IFB

# 16.4 Responsiveness of Bids

- (i) the Bid is valid till required period
- (ii) the Bid prices are firm during currency of contract (if it is a fixed price bid)
- (iii) completion period offered is within specified limits,
- (iv) the Bidder/Manufacturer is eligible to Bid and possesses the requisite

- experience, capability and qualification.
- (v) the Bid does not deviate from basic technical requirements and
- (vi) the Bids are generally in order, etc.
- (vii) Technically responsive and lowest evaluated Bid
- (viii) Bids are submitted only through EPADS...Hard copy is not acceptable.
- (ix) Copy of Bid Security uploaded with Technical Bid.
- (x) Original Bid Security received to SECP Head Office before deadline of bid submission. All bids must be accompanied by a scanned copy of Bid Security in the form of Banker's Cheque i.e. Pay Order in the amount of Rs. 300,000. **The ORIGINAL Bid Security in favor of SECP** must be submitted to the procuring agency any time before the closing time of bid submission, failing which the bid shall be rejected.

# 16.9 **Price Adjustment**

Deleted

21.3 The successful bidder shall furnish to the Employer a Performance Security Ten percent (10%) of Accepted Contract Amount in the form of a bank guarantee from local bank or call deposit.

# FORM OF BID AND SCHEDULES TO BID

#### Letter of Technical Bid

Name of Contract: "Renovation works at SECP Head Office"

To: M. Ubaidullah Khalid

Additional Joint Director (Admin)

Securities and Exchange Commission Pakistan NIC Building, 63 Jinnah Avenue Islamabad

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (IB) 9;
- (b) We offer to execute and complete in conformity with the Bidding Documents the following Works:

#### Renovation works at SECP Head Office

- (c) Our Bid consisting of the Technical Bid and the Price Bid shall be valid for a period of ninety (90) days from the date fixed for the bid submission deadline in accordance with the Bidding Documents, and it shall remain binding upon us and may be accepted at any time before the expiration of that period;
- (d) As security for due performance of the under takings and obligations of our bid, we submit here with a Bid security, in the amount specified in Bidding Data Sheet, which is valid 148 days.
- (e) We are not participating, as a Bidder or as a subcontractor, in more than one bid in this bidding process, other than alternative offers submitted in accordance with IB16 (as applicable).
- (f) We agree to permit Employer or its representative to inspect our accounts and records and other documents relating to the bid submission and to have them audited by auditors. This permission is extended for verification of any information provided in our Technical Bid which comprises all documents enclosed herewith in accordance with IB.11.1 of the Bidding Data Sheet.

Name				 	
	city of				
Duly author Date	rized to sign the	Bid for and on be	ehalf of	 	

# SCHEDULES TO BID INCLUDE THE FOLLOWING:

• Schedule A to Bid: Schedule of Prices

• Schedule B to Bid: Qualification Criteria

• Schedule C to Bid: List of Drawing(s)

#### PREAMBLE TO SCHEDULE OF PRICES

#### 1. GENERAL

- 1.1 The Schedule of Prices shall be read in conjunction with the Conditions of Contract, Contract Data together with the Specifications and Drawings, if any.
- 1.2 The Contract shall be for the whole of the Works as described in these Bidding Documents. Bids must be for the complete scope of works.

#### 2. DESCRIPTION

2.1 The general directions and descriptions of works and materials are not necessarily repeated nor summarized in the Schedule of Prices. References to the relevant sections of the Bidding Documents shall be made before entering prices against each item in the Schedule of Prices.

#### 3. UNITS & ABBREVIATIONS

3.1 Units of measurement, symbols and abbreviations expressed in the Bidding Documents shall comply with the System International d' Unites (SI Units).

#### 4. RATES AND PRICES

- 4.1 Except as otherwise expressly provided under the Conditions of Contract, the rates and amounts entered in the Schedule of Prices shall be the rates at which the Contractor shall be paid and shall be the full inclusive value of the works set forth or implied in the Contract; except for the amounts reimbursable, if any to the Contractor under the Contract.
- 4.2 Unless otherwise stipulated in the Contract Data, the rates and prices entered by the bidder shall not be subject to adjustment during the performance of the Contract.
- 4.3 All duties, taxes and other levies payable by the Contractor shall be included in the rates and prices.
- 4.4 The whole cost of complying with the provisions of the Contract shall be included in the items provided in the Schedule of Prices, and where no items are provided, the cost shall be deemed to be distributed among the rates and prices entered for the related items of the Works and no separate payment will be made for those items.

The rates, prices and amounts shall be entered against each item in the Schedule of Prices. Any item against which no rate or price is entered by the bidder will not be paid for by the Employer when executed and shall be deemed covered by the rates and prices for other items in the Schedule of Prices.

- 4.5 (a) The bidder shall be deemed to have obtained all information as to and all requirements related thereto which may affect the bid price.
  - (b) The Contractor shall be responsible to make complete arrangements for the transportation of the Plant to the Site.
- 4.6 The Contractor shall provide for all parts of the Works to be completed in every respect. Notwithstanding that any details, accessories, etc. required for the complete installation and satisfactory operation of the Works, are not specifically mentioned in the Specifications, such details shall be considered as included in the Contract Price.

#### 5. BID PRICES

# 5.1 Break-up of Bid Prices

The various elements of Bid Prices shall be quoted as detailed by the Employer in the format of Schedule of Prices.

The bidder shall recognize such elements of the costs which he expects to incur the performance of the Works and shall include all such costs in the rates and amounts entered in the Schedule of Prices.

#### 5.2 Total Bid Price

The total of bid prices in the Schedule of Prices shall be entered in the Summary of Bid Prices.

#### 6. PROVISIONAL SUMS

6.1 Provisional Sums included and so designated in the Schedule of Prices if any, shall be expended in whole or in part at the direction and discretion of the Engineer/Employer. The Contractor will only receive payment in respect of Provisional Sums if he has been instructed by the Engineer/Employer to utilize such sums..

# **DETAILED BOQ'S**

#### **QUALIFICATION CRITERIA**

The bidder has the financial and technical capability necessary to perform the Contract as follows. The bid will be evaluated as following criteria to ascertain "Technical Responsive" bidder. The applicant securing at least 65% Marks i.e. 32.5 out of 50, will be declared Technically Responsive. The financial proposal of only Technically Responsive Bidder will be considered for opening, Arithmetical Correctness and Financial Comparison. The "Technically Responsive and Most Advantageous Bidder i.e. lowest" will be awarded the contract.

Sr. No.	Category	Weightage / Marks
a)	PEC registration in C-6	Must Requirement
b)	Tax return of the last three years along with company bank statement of one year must be attached. Please attach only first page of every year tax return.	Must Requirement
c)	Experience Record	50

# b. Experience record

Sr. No.	Description	Max Marks
	Completed Projects	
1.	Experience in the execution of five (5) projects of renovation/civil work of a similar nature of Rs. 7.0 million or above. (06 marks for each project, maximum marks are 30). Projects completed during the last 10 years will be	30
	considered for evaluation.	
	In-hand Projects	
2.	If the firm has five or more projects in hand: (04 marks for each project, maximum marks are 20).  If the firm has less than five projects in hand, 10 marks shall be awarded,	20
	Total For Experience Record:	50

#### Note:

a). The Applicant shall attach evidence of Work Orders/ Letter of Acceptance/Contract Agreement or Completion Certificate for completed projects in

public sector. The Employer may request for additional information i.e bank transaction as documentary evidence in case of private sector projects.

b). The firm meeting must requirement shall be considered eligible for technical evaluation only.

# Schedule-C to Bid

# **LIST OF DRAWINGS**

(to be signed by the Bidder)

#### Sample Agreement

This agreement ("Agreement") is made on this the ——— day of -----at Islamabad.

#### BY AND BETWEEN

**Securities & Exchange Commission of Pakistan**, a statutory body established in pursuance of the Securities and Exchange Commission of Pakistan Act, 1997 with its head office located at **NIC Building, 63 Jinnah Avenue, Islamabad** (the "Commission", which expression shall, where the context so admits, include its successors in interest and permitted assigns) of the One Part

#### **AND**

M/s ....... a company incorporated under the Companies Ordinance, 1984 having its registered office at-----, ( the "Contractor" which expression shall, where the context so admits, include its successors in interest and permitted assigns) of the other part;

Commission and the Contractor shall hereinafter be referred to as the "Parties" collectively and the "Party" individually and interchangeably.

#### WHEREAS:

- 1. The Commission is desirous to renovate office located at SECP head office Islamabad.
- 2. The Contractor represents and warrants that it has the relevant expertise and adequate skills to provide the Services required by the Commission.
- 3. The Commission has approved and the Contractor has agreed to the provision and installation of all materials, labor and expertise to perform the Services described in the attached schedule as mentioned in (BOQ/TORs) Annexure "A".
- 4. The Contractor represents that it can execute the same as per Specifications in (BOQ/TORs) Annexure "A" and to complete the work renovating the Premises on the terms and conditions set out hereunder.

#### Now Therefore it is Agreed Between The Parties as Follows:

The recital hereof shall form an integral part of this Agreement.

#### ARTICLE 1- DEFINITION AND INTERPRETATION

For the purposes of this Agreement, the following terms shall have the meaning set out herein, unless the context requires otherwise.

- a. "Agreement" means this agreement dated ......along with its Annexure and Appendices.
- b. "Premises" Head Office at NICL Building, Islamabad.
- c. "Specifications" means the description of materials and details of renovation work as outlined in (BOQ/TORs) Annexure "A" attached hereto and approved by the Commission.
- d. "Services" bears the meaning attributed thereto in clause 2.1.
- e. "Consultant" means the consultant appointed by the Commission for the subject purpose.

In this Agreement any reference to an Article, a Schedule or an Appendix shall be a reference to an Article, Schedule or Appendix of this Agreement. The Services under this Agreement is for the Contractor to renovate the Headoffice, etc (if any), erection of wood and wooden partitions, tiles, installation of doors, electric / power related wiring and other works as mentioned in the BOQ. The Contractor shall ensure that all or any Services shall be in accordance with the approved (BOQ/TORs) Annexure-A and to the satisfaction of the Commission.

#### **ARTICLE 2-PRICE**

In consideration of the performance by the "CONTRACTOR" of its obligations under this Agreement to the satisfaction of the Commission, the Agreement price ("Price") to be paid to the Contractor shall be Rs-----------------Inclusive of all Applicable Govt. Taxes and duties but not limited to excise duty, Sales tax, or any other taxes or levies). All Services shall be executed/supplied as Turn Key Job as per (BOQ/TORs) Annexure "A" and design layout as per drawings provided by the Commission".

- a) All payment will be subjected to withholding tax deductions at source as per regulations, if relevant.
- b) Any and all payments made under this Agreement shall be less any Government taxes, which the Commission is by law required to deduct.
- c) Final payment shall be made based on the actual Measurement book prepared by the contractor and approved by the Project Director.
- **d**) No advance payment shall be made, however, Payment terms (tentatively) would be as follows;
- e) 25% payment upon completion of electrical/voice and other cabling laying down
- f) 25% payment upon completion of the installation of tiles and completion of furniture items on the premises

g) Balance payment upon completion of the work and handing over site to the Commission

### <u>ARTICLE 3 – PERFORMANCE GUARANTEES</u>

- a) The Contractor shall ensure that only such materials as shall be of the respective kinds described in the design and (BOQ/TORs) shall be approved and only such workmanship as conforms with the Design. The contractor will ensure that all material used for renovation is fit for the purpose it is intended, is free from defects. The Contractor shall arrange samples of all relevant materials and get its approval from the Consultant of the Commission. 10% amount of each invoice amount shall be retained for 6 months period as retention period.
- b) The Services shall be completed and the Premises handed over to the Commission within a maximum period of 40 days. however, the Commission shall have a right to make a deduction from the Agreement price @ 2,000/- (Rupees five thousand only) for every day of delay.
- c) If the project could not be completed in maximum 20 days from the execution date of the Agreement due to delay of payments, approvals or any other reason caused by the Commission, then the charge specified in Article shall be waived off.

#### **ARTICLE 4 – ADDRESSES OF THE PARTIES**

The authorized representatives of both Parties along with their addresses are as follows.

Commission: Securities & Exchange Commission of Pakistan NICL Building, Blue Area, Islamabad.

Attention	Mr. Zahid Ul Hassan Deputy Director (Admin)
Contractor:	
Attention:	

#### ARTICLE 5 - TERMINATION BY THE CONTRACTOR

If the Coordinator fails to issue a payment certificate for a period of thirty days through no fault of the Contractor, or if the Client fails to make payment thereon for a period of thirty days from the issuance of a payment certificate, the Contractor may, upon fourteen days' written notice to the Client, terminate the Contract, provided however, that Client shall first have an opportunity to remit such payment within the fourteen day period following written notice.

#### **TERMINATION BY THE CLIENT:**

If the Contractor defaults or neglects to carry out the Work in accordance with the Contract Documents or fails to perform any provision of the Contract, the Client may, after Seven days' written notice to the Contractor and without prejudice to any other remedy Client may have, make good such deficiencies and may deduct the cost thereof from the payment then or thereafter due the Contractor or, at Client's option, may terminate Contractor's work under the Contract and take possession of the site and of all materials, equipment, tools, and construction equipment and machinery thereon owned by the Contractor and may finish the Work by whatever method Client may deem expedient, and if the unpaid balance of the Contract Sum exceeds the expense of finishing the Work, such excess shall be paid to the Contractor, but if such expense exceeds such unpaid balance, the Contractor shall pay the difference to the Client. These rights and remedies are in addition to any right to damages or other rights and remedies allowed by law.

#### **ARTICLE 6 – DISPUTE RESOLUTION**

- a) **Amicable settlement.** The Parties shall use their best efforts to amicably settle all disputes arising out of or in connection with this Agreement.
- b) **Dispute settlement.** Any dispute between the Parties arising under this Agreement, which cannot be amicably settled within thirty (30) days after receipt by one Party of the other Party's request for such amicable settlement, may be submitted by either Party for settlement in accordance with the provisions of the Arbitration Act, 1940 (Act No. X of 1940). Any Services to be performed under the Agreement shall, if reasonably practicable, continue during the arbitration proceedings and no payment due to or by the Commission shall be withheld on account of such arbitration proceedings. The matter shall be referred to a sole arbitrator as agreed by both Parties. The seat of arbitration shall be Islamabad, Pakistan and the language of arbitration shall be English. In case the Parties do not agree to the appointment of the arbitrator, the same shall be appointed by the court of competent jurisdiction.

#### **ARTICLE 7 - MISCELLANEOUS**

- a) The Contractor shall make its own arrangements for the engagement of all staff and labor necessary for the fulfillment of its obligations under this Agreement, and for their payment, feeding and transport. Whereas Commission allows to work Labor from 5pm till 12:00 p.m. Contractors labor will not be allowed to stay in Client Premises after above mentioned time except one Security Guards to safeguard the Contractors construction material of all type. Client will not be responsible of any claim in case of any theft, misplace of any material of the contractor. Contractor labor will not be allowed to move at any other place except site only at Client Premises".
- b) Contractor agrees to protect, indemnify, defend and hold harmless the Commission, its Chairman, Commissioners and employees from any claims, demands obtained by the Contractor's staff, labor or its employees, on account of personal injury or death.

- c) The copyright of all document prepared by the Contractor in connection with the Agreement rests with the Commission. The Contractor shall not be entitled either directly or indirectly to make use of these documents for carrying out work other than that required by the terms of this Agreement. Contractors will submit all such kind of documents to the client SECP on completion of the project at the time of handing over.
- d) The Contractor shall maintain confidentially in all matters arising out of this Agreement and which are not in the public domain for a period of five (5) years from the date of execution of this Agreement.
- e) The Contractor shall deliver to the Commission all as built drawings and relevant warranties (wherever applicable) for equipment upon handing over of the Premises.
- f) The Commission shall be responsible for paying all the Utility Bills (Electricity or Backup and water supply etc.) of the 10<sup>th</sup> floor for the whole time period of renovation which shall not be misused by the Contractor or its personnel.
- g) The project plan will be submitted before start of work and a weekly update report shall be submitted to the Project Director.
- h) Lead time items procurement will be done well in advance and the ordering plan will be submitted to the Client.
- i) Prove of all procurements will be produced at the request of the client.
- j) Any changes or alternations in plan or material etc will be obtained in writing from the client.

#### ARTICLE 8 – ACTIONS ON BEHALF OF CLIENT

The Contractor shall take no action on behalf of the Commission in the performance of Services under

this Agreement or conduct any operations relating thereto that would subject either Party to liability or

penalty under any law, rules, regulation, or decrees by any Government or Authority.

# **ARTICLE 9 – FORCE MAJEURE**

Neither Party shall make claim against the other Party or be deemed to be in breach of Agreement where

such failure or omission is caused by Force Majeure. Force Majeure shall include, but not be limited to.

Acts of God, war (declared or undeclared), insurrection, acts of terrorists, acts of governments or

government bodies (including legislative bodies, courts and executive officers of agencies), unusually

severe weather during the period in question,. Or any other similar matters beyond the control of or

which could not have been reasonably foreseen and / or avoided by the Party affected.

## <u>ARTICLE 10 – ENTIRETY AND COUNTERPARTS</u>

- This Agreement including any supplement and all Appendices and Annexures hereto constitute the
- entire Agreement between the Parties with respect to the subject matter hereof and shall supersede all
- promises and representations made by one Party to the other concerning the obligations to be performed
- hereunder. This Agreement may not be discharged, released, supplemented, amended or modified in
- any manner except by an instrument in writing signed by a duly authorized representative of both the
- Parties. This Agreement shall be executed in two counterparts, both of which shall be deemed original.

# <u>ARTICLE 11 – RELATIONSHIP</u>

The Parties hereby agree that no terms of this Agreement shall be construed as to portray an employer-employee relationship between the Parties and that both the Parties are acting independently and at their discretion.

# ARTICLE 12 – APPLICABLE LAW AND JURISDICTION

This Agreement is governed by the laws of the Islamic Republic of Pakistan. Disputes arising out of

this Agreement are subject to the exclusive jurisdiction of the courts of Islamabad, to which the

Parties irrevocably submit.

#### **ARTICLE 13 – PROJECT COORDINATOR**

The client designates Mr. Zahid Ul Hassan, Deputy Director, SECP Head Office NICL Building, 63 Jinnah Avenue, Islamabad as Client's Coordinator; Coordinator will provide general administration of the Contract and will be the Client representative during construction and until issuance of the final Certificate for Payment. The Coordinator shall at all times have access to the Work wherever it is in preparation and progress. The Coordinator will make periodic visits to the site to determine in general if the Work is proceeding in accordance with the Contract Documents. On the basis of on-site observations, the Coordinator will keep the record of the progress of the Work. The Coordinator will not be responsible for construction means, methods, techniques, sequences or procedures, or for safety precautions and programs in connection with the Work, and will not be responsible for the Contractor's failure to carry out the Work in accordance with the Contract Documents. Based on such observations and the Contractor's Applications for Payment, the Coordinator will determine the amounts owing to the Contractor and will issue Certificates for Payment in accordance with Article 12. The Coordinator will be, in the first instance, the interpreter of the requirements of the Contract Documents. For payment of the invoices, approval/verification of the coordinator shall be necessary and no payment shall be made in the absence of such approval/verification as

mentioned in Article 4 of this Contract. The Coordinator will have the authority to reject Work not conforming to the Contract Documents.

#### **ARTICLE 14 – ACCEPTANCE OF THE WORK:**

The Contractor shall correct any Work that fails to conform to the requirements of the Contract Documents where such failure to conform appears during the progress of the Work, and shall remedy any defects due to faulty materials, equipment or workmanship which appear within a period of one year from the Date of Final Settlement of the Contract or within such longer period of time as may be prescribed by law or by the terms of any applicable special guarantee required by the Contract Documents. The provisions of this Article apply to Work done by Subcontractors as well as to Work done by direct employees of the Contractor, and are in addition to any other remedies or warranties provided by law. No act of the Client or the Coordinator, either in superintending or directing the Work, or any extension of time for the completion of the Work, shall be regarded as an acceptance of such Work or any part thereof, or of materials used therein, either wholly or in part. Acceptance shall be evidenced only by the final certificate of the Client or Coordinator in this behalf. Before any final certificate shall issue, Contractor shall execute an affidavit on the certificate that it accepts the same in full payment and settlement of all claims on account of Work done and materials furnished under this Contract, and that all claims for materials provided or labor performed have been paid or set aside in full. No waiver of any breach of this Contract by the Client or anyone acting on Clients' behalf shall be held as a waiver of any other subsequent breach thereof. Contractor agrees to guarantee all work under this Contract for a period of one year from the date of Final Settlement by the Client. If any unsatisfactory condition or damage develops within the time of this guaranty due to materials or workmanship that are defective, inferior, or not in accordance with the Contract, as reasonably determined by the Client or the Coordinator, then the Contractor shall, when notified by the Client or Coordinator in this behalf, immediately place such guaranteed Work in a condition satisfactory to the Client.

#### **ARTICLE 15 - SPECIAL/MISCELLANEOUS PROVISIONS:**

- a) Each Party hereto agrees to cooperate in all reasonable respects necessary to consummate the transactions contemplated by this Contract, and from time to time to do such acts and things and execute and deliver such documents and instruments as may reasonably be required in order to implement the transactions contemplated hereby. Each Party hereto agrees to cooperate in the execution of subsequent Addenda, or to re-execute an amended version of this Agreement, in the event that a Party discovers: 1) a clerical error; or 2) a misinterpretation of the law; or 3) an error as to form; when such error(s) obviate or hinder the consideration, performance, or enforcement of this Agreement.
- b) This contract is governed by the laws of the State of Pakistan and any action to enforce any of the provisions, obligations or covenants of this contract shall be commenced only in a court of proper jurisdiction in Pakistan.
- c) Contractor shall not assign this contract. The provisions of the contract are binding on the heirs, successors or assignees of the parties.

- d) The rights and remedies available under this contract shall be in addition to any rights and remedies allowed by law.
- e) No failure to enforce any provision of the contract on account of any breach thereof shall be considered as a waiver of any right to enforce provisions of this contract concerning any subsequent or continuing breach.
- f) If any provision of this Agreement is declared by any court of competent jurisdiction to be invalid for any reason, such invalidity shall not affect the remaining provisions. On the contrary, such remaining provisions shall be fully severable, and this Agreement shall be construed and enforced as if such invalid provisions never had been inserted in this Agreement.

#### **ARTICLE 16 – STAMP DUTY**

This Agreement shall be stamped in accordance with Stamp Act, 1899 by the Consultant.

#### **ARTICLE 17 – Insurance**

The Consultant will be responsible for taking out any appropriate insurance coverage.

### **ARTICLE 18 – Changes in the work**

The client without invalidating the contract may order changes in the work consisting of any additions, deletions or modifications. All such changes in the work shall be authorized by written change order signed by the Project Coordinator. The contract sum and contract time can only be changed by Change Order signed by the Coordinator. The cost or credit to the client, if any, from a change in the work shall be determined by unit prices if specified in the contract documents or by mutual agreement.

In witness hereof the Parties have executed this Agreement on the date abovementioned.

From SECP:
Name:
Signature:
From Contractor:
Name:
Signature:

WITNESS (SECP side)	WITNESS (Contractor side)
1)	1)
2)	2)

### Format of Affidavit/Undertaking (DULY NOTARIZED)

Bidder must submit following undertaking (on stamp paper of Rs.100 ) ) duly notarized, failing which the bid shall be rejected  $\frac{1}{2} \left( \frac{1}{2} + \frac{1}{$ 

a)	I, Mr.
b)	That M/sis not engaged, under investigation or offences or no proceedings are pending before FBR, Customs, NAB, any Judicial form, FIA or any other Govt. authority with respect to fraud, terror financing, money laundering etc.
c)	We also confirm that our firm has not been black listed by any National/International organization or forum and its entitled to carry out its business activities to the standard business ethics.
d)	That the Partner(s) / Officers of $M/s$ have not been subject to financial crime. Nor they every compounded with their creditors in any capacity.
e)	We, hereby agree with all the requirements and terms & conditions of the bidding document and submit the bid.
f)	The above statement is true to the best of my knowledge and belief and nothing has been concealed or is false.
	te: In case bidder is found in the list of "Blacklisted Firms-Pakistan" or related ks at <a href="https://www.ppra.org.pk/">https://www.ppra.org.pk/</a> then its bid shall be rejected
	Name:
	Signature
	Stamp:

Declaration of Ultimate Beneficial Owners Information for Public Procurement Contracts.

- 1. Name
- 2. Father's Name/Spouse's Name
- 3. CNIC/NICOP/Passport No.
- 4. Nationality
- 5. Residential address
- 6. Email address
- 7. Date on which shareholding, control or interest acquired in the business.
- 8. In case of indirect shareholding, control or interest being exercised through intermediary companies, entries or other legal persons or legal arrangements in the chain of ownership or control, following additional particulars to be provided.

1.	2.	3.	4.	5.	6.	7.	8.	9.	10.
Name	Legal form (company / Limited liability Partnership/Association of Persons/Single Member Company/partnershp Firm/Trust/Any other individual, body corporate (to be specified)	Date of Incorporation/Registra	Name of Registering Authority	Business Address	Country	Email Address	Percentage of Shareholding, control or interest of BO in the legal person or legal arrangement	Percentage of Shareholding, control or interest of legal person or legal arrangement in the Company	Identity of natural person who ultimately owns or controls the legal person or arrangement
						1			

9. Information about the Board of Directors (details shall be provided regarding number of shares in the capital of the company as set opposite respective names).

1.	2.	3.	4.	5.	6.	7.	8.
Name and Surname (in Block Letters	CNIC No.(in case of foreigner,	Father's/Husband 's Name in Full	Current Nationality	Any other Nationality(ies)	cupatio	Residential address in full or the registered/principal office addres for a sunscribers other than	Name of shares taken by cash subscribe(in figures
Block Letters	Passport No.				Occ	natural person	and words)
			Total numbers of sh	ares taken (in figures and wo	rds)		

10. Any other information incidental to or relevant to Beneficial Owner(s)

## **SPECIFICATIONS**

#### **SECTION - 8001**

#### GENERAL SPECIFICATIONS FOR ELECTRICAL WORKS

#### 1.0 **SCOPE OF WORK**

The works related to the electrical system are included in the Scope of this Contract as shown on the Drawings, stated in the Specifications and Bill of Quantities and explained in these Specifications. The works shall broadly include but not limited to the following:

- General Specifications for Electrical Works
- LT Distribution Boards
- Light Fixtures
- Low Tension Cables
- Wiring Accessories
- Conduits and Pipes
- Earthing
- Miscellaneous Items
- Structured Cabling Network
- Intelligent Addressable Fire Alarm System
- Closed Circuit Television System
- Cable Antenna TV System

The Contractor shall also be responsible to supply any other equipment not specifically mentioned in these Documents but which is necessary for proper operation of the works/system included in the scope of this Contract. The Contractor shall solely be responsible for ensuring proper functional requirements of different equipment. He shall also be responsible for furnishing any additional piece of equipment and for making modification in the equipment as desired and/or approved by the Engineer to achieve proper co-ordination with various equipment offered in the bid and also with those installed by others.

#### 2.0 RULES & REGULATIONS

The entire electrical installation/work shall be carried out by licensed Contractor, authorised to undertake such work under the provisions of the Electricity Act 1910 and The Electricity Rules 1937 as adopted and modified upto date by the Government of Pakistan.

All works shall be carried out in accordance with the latest edition of the Regulations of the Electrical Equipment of Buildings issued by the Institute of Electrical Engineers-London, the Contract Documents, The Electricity Rules 1937 and bye-laws that are in force from time to time. Any discrepancy between these Specifications and any other rules and regulations shall be brought to the notice of Engineer for his instructions and the discussion of the accepting/controlling shall be final and conclusive.

The Contractor shall be responsible for completing all formalities and submitting the test certificates as per prevailing rules and regulations, and shall have the installation passed by the Government Electric Inspector of that region. All requirements of the Electric Inspector and the KE (Karachi Electric) shall be complied with.

#### 3.0 AMBIENT CONDITIONS

All material and equipment supplied and installed shall be designed, manufactured and tested to meet the following ambient conditions unless specifically stated otherwise for any material/ equipment.

Location : Lahore

Maximum indoors ambient temperature : 50-Degree Celsius
Minimum indoors ambient temperature : Zero Degrees Celsius
Maximum outdoors-ambient temperature : 50-Degree Celsius
Minimum outdoors-ambient temperature : Zero Degrees Celsius

Maximum Relative humidity : 100 Percent

Maximum Altitude of project : 520 meters above

the mean sea

level.

The atmospheric conditions are tropical and highly humid.

#### 4.0 **STANDARDS**

The latest standards and codes of reputable organisations shall be applicable for the material and equipment specified herein and for installation work. Such organisations to be BSS, IEC, VDE, NFPA 99, NEC Article 517 etc. In case the Specifications laid down herein differ from those given in the standards, then the equivalent or better specifications shall govern. Wherever applicable the equipment shall also conform to the requirements of Pakistan Standard Institution (PSI).

Contractor shall maintain at the site office one copy of the standards / codes applicable to the works.

#### 5.0 SYSTEM DATA

Unless otherwise specified elsewhere, all equipment and material shall be designed to operate satisfactorily with the following minimum requirements without any de-rating.

a) Voltage rating of equipment: HT: 11 kV, 3 phase, +/- 10%

LT: 415 V, 3 phase, +/- 10% 240 V, 1 phase, +/- 10%

b) Frequency : 50Hz ± 2Hz

In general, the electrical colour coding of switchgear cubicles, control panels, desks etc., shall be in accordance with the respective IEC Recommendations. Live parts of electrical connections shall be colour coded according to IEC 446 as follows:

Conductor Designation	Coding Alphanumeric	Colour
A.C. Network Phase 1	L 1	red
Phase 2	L 2	yellow

8001-4

Phase 3 L 3 blue

(4)

	Neutral	N	Black
D.C. Networ	rk Positive Negative	L+ L-	White Black
Earthing	Protective Earth Earth	PE E	green/yellow green/yellow

The colour coding for the secondary circuits of isolated power panel board is as follows:

Orange-Isolated Phase Conductor Brown- Isolated Neutral Conductor Green-Isolated Ground Conductor

Conductor insulation of secondary circuits of isolated power panel board shall be XLPE and PVC sheathed.

#### **Control Cables**

The Control Cables shall be manufactured according to specifications for L.T. Cables. The Control Cables shall be of multi-core, PVC insulated type withstanding without deterioration the conditions prevailing at the place of installation. The cross section of cable shall be as per the requirement of the system.

All the cores should be numbered and/or colour coded or otherwise properly identified. At-least 20% spare cores shall be provided in all Control Cables.

No separate payment is admissible for supplying, installing, testing and commissioning of control cables and is deemed to have been included in the BOQ rates of the respective equipment.

Distance in between power, communication and 50 ontrol cables shall be kept as per requirements laid down by EN50174-2, NEC800 and NFPA 70.

#### 6.0 **EQUIPMENT**

#### 6.1 IP Degree of Protection

The equipment shall have IP degree of protection as follows, unless mentioned other wise:

- IP 42 for indoor areas
- IP 54 for indoor damp areas
- IP 65 for outdoor areas

If properly rated equipment is not available, the Contractor shall provide field enclosures to attain the required IP degree of protection. If necessary cooling/exhaust fans and / or anti

condensate heaters shall also be provided. No separate payment shall be made to attain the required IP degree of protection.

### 6.2 Identification & Labelling

All devices, meters, cabling, wiring and auxiliaries shall be properly labeled for identification. Labeling of equipment shall be done by means of flameproof material using indelible ink/marking. The labeling shall be such as to ensure uniformity and shall facilitate study of control diagrams/ drawings during operation and maintenance.

All labeling shall be of suitable size to be visible from the operating conditions/positions at site.

#### 6.3 Lamp Test Facility

All equipment / switchboards, etc. shall be provided with common lamp test facility.

#### 7.0 DRAWINGS AND DATA TO BE FURNISHED BY THE CONTRACTOR

For each electrical equipment shop drawings, as-built drawings and/or technical data are to be furnished by the Contractor. LT cable distribution layouts & shall include, but not limited to the following:

- (a) Structural drawings showing foundations, RCC details dimensional plans, elevation and sections on a suitable scale.
- (b) Electrical drawings showing:
  - Line diagrams of Switchboards, Motor Control Centres, distribution boards and isolated power panels with detailed wiring diagrams, elevations/internal component layout and other standard details.
  - LT Cabling, Grounding/Earthing including all cable routing and support details.
  - Necessary execution details such as no. of cable/wires, size of conduits, cable routes, cable trays and cable trenches, etc.
  - Substation and Generator Room Equipment installation details.
  - Manhole/Duct works.
- (c) Layouts of all LT cable routes with coordinates and levels.
- (d) Technical literature and manufacturer's characteristic data with the description of materials and weights of all equipment as instructed by the Engineer.

At least three (3) copies of the shop drawings and/or technical data of the equipment shall be submitted to the Engineer for checking and approval.

#### 8.0 MANUFACTURER'S INSTRUCTIONS

The Contractor shall supply to the Engineer in properly bound form six (6) copies of manufacturer's instruction manuals for installation, testing, commissioning, operation and maintenance of the specified equipment including manuals of spare parts and tools of the equipment. At least two copies of the documents shall be submitted in original. The installation instructions shall be submitted 2

weeks prior to commencement of installation of each equipment, and operation and maintenance instruction at the time of commissioning. If the Contractor fails to provide the documents the Engineer shall withhold issuance of requisite certificates and deduct suitable amount from the payments to the Contractor.

#### 9.0 **GUARANTEE**

The Contractor shall furnish written guarantee of the manufacturer or supplier with respect to satisfactory performance of each equipment. Guarantee shall be given for replacement and repair of part or whole of the equipment, which may be found defective in material or workmanship. The guarantee shall cover the duration of Maintenance Period as defined in the Conditions of Contract. This guarantee shall not relieve the Contractor of his obligations and he will be fully responsible for the repair or replacement of any defective material in time, so as not to cause any undue delay in carrying out the repairs and/or replacements.

#### 10.0 DANGER BOARDS WITH SIGNS, DESIGNATION AND SHOCK / FIRST AID

Danger Boards having signs and designation of the room shall be installed on the external door of HT, LT, Power transformer, Low Voltage DG Set Rooms. Shock/First Aid Charts shall be installed in H.T, L.T and Low Voltage DG Set Rooms.

Potable fire fighting extinguisher suitable to control electrical fire shall be provided in H.T, L.T, Power Transformer and Low Voltage DG Set Rooms.

All the above items shall also be provided, wherever required to comply the requirements of the Pakistan Electricity Rules/Electric Inspector.

Laminated single line and adequate detail drawings on proper boards highlighting the main system features shall be displayed/ fixed in respective electrical and communication rooms<sub>(8)</sub>

#### 11.0 ASSOCIATED CIVIL WORKS

Except where separately stated in the Bill of Quantities the cost of all civil works associated with any BOQ item of electrical works, such as excavation and back filling of earth, compaction of the earth, foundation pads, chiselling, making openings, etc. shall be included in the price quoted against respective items. No separate payment for such works will be made. Such works will also include repair of any damage to civil works caused by the Contractor during electrical installation.

#### 12.0 INSTALLATION INSTRUCTIONS - GENERAL

The Contractor shall furnish all labour, materials, tools and equipment required to install, connect, test and commission all electrical equipment specified herein, whether or not such equipment is furnished by him or by others.

For all equipment to be installed by the Contractor, the Contractor shall supply and install all erection materials such as foundation bolts, washers, nuts, etc. as required and without any additional costs.

The Contractor shall set out the works himself as per Specifications and Drawings and shall properly position the equipment on specified

foundation/location. In general, the manufacturer's instructions for installation shall be followed. Any defect or faulty operation of equipment due to the Contractor not following the manufacturer's instructions shall be corrected and repaired by the Contractor at his own cost.

For any deviation from the working drawings or specification that are deemed necessary by the Contractor due to site conditions, he shall submit the details and obtain the Engineer approval before starting such works.

#### 13.0 **FACTORY TESTS**

All type and routine tests on Low Voltage D.G Set, Power Transformer, H.T Switchboards, LT Switchboards, Motor Control Centre, H.T Cables, LT Cables, and all other equipment shall be performed at the manufacturer's works in the presence of the Engineer or his Representative. Type tests may be waived off in case test certificates are submitted as certified by an Engineer approved standard laboratory of international repute; but merely producing the test type certificates will not relieve the manufacturer to carry out the required standard/routine tests.

The Contractor shall inform the Engineer about the date and time of test of each equipment at least two weeks in advance. This shall, however, be done after the Contractor has got the test procedures duly approved by the Engineer. The witnessing of test by the Engineer and the Employer shall not absolve the Contractor from his responsibility for the proper functioning of the equipment, and for furnishing the guarantees referred to in clause 9.0. All test results shall be supplied in quadruplicate. All expenses for carrying out the tests as incurred by the Engineer and the Employer to witness it shall be borne by the Contractor and deemed to have been included in the bid. Provision for at least two person's visit for Factory Acceptance Tests shall be made to include one representative each from the Employer and the Consultant/Engineer. The contractor shall under the last two enable him make the visit.

#### **14.0 TESTING**

#### 14.1 **Scope**

Upon completion of the installation, the Contractor shall perform field tests on all equipment, materials and systems. All tests shall be conducted in the presence of the Engineer for the purpose of demonstrating equipment or system compliance with Specifications. The Contractor shall submit for Engineer's approval complete details of tests to be performed describing the procedure, test observations and expected results.

The Contractor shall furnish all tools, instruments, test

equipment, materials, etc., and all qualified personnel required for the testing, setting and adjustment of all electrical equipment and material including putting the same into operation.

All tests shall be made with proper regard for the protection of the personnel and equipment and the Contractor shall be responsible for adequate protection of all personnel and equipment during such tests. The cost of any damages or rectification work due to any accident during the tests shall be the sole responsibility of Contractor. The Contractor shall record all test values of the tests made by him on all equipment. Four (4) copies of all test data and results certified by the Engineer shall be given to the Engineer for record purposes. These shall also include details of testing method, testing equipment, diagrams, etc.

The witnessing of any tests by the Engineer does not relieve the Contractor of his guarantees for materials, equipment and workmanship, or as any other obligations of Contract.

#### 14.2 Low Voltage D.G. Set

Prior to the tests, the contractor shall submit manufacturer's recommended detailed description of the test procedures to be conducted for Engineer's approval.

The Contractor shall carry out full site load and no load tests in accordance with IEC, ISO or BS Specifications for site commissioning. The inspection and tests shall include but not be limited to:

Basic Tests: Insulation

Resistance Earth

Continuity

Earth Loop Impedance

Polarity

Phase Rotation Voltage and

Frequency Starting System Protection

Equipment

Battery: Nominal

Voltage

Discharge (12)

Voltage

Specific Gravity of Electrolyte Level of

Electrolyte

Charging System

Lubrication: Check as required by

manufacturer Operational Check at Oil Pressure

Start-up Fuel Oil Leaks

Operation of Safety Devices Operational Speed Automatic Control Instrument

Check

**Exhaust Check** 

Operational Check
After one hour's run:

Undue Vibration
Oil Pressure
Oil Leaks
Cooling

System Oil
Temperature

Commissioning Test: 25% of full load 0.5 hrs.

50% of full load 0.5 hrs. 75% of full load 1 hrs. 100% of full load 1 hrs. 110% of full load 1 hr.

All commissioning and test results shall be recorded and compared with design data. A retest/commissioning shall take place if results are not satisfactory. All the tools, labour, POL, required for the testing and commissioning shall be provided by the Contractor at no extra cost. If required load is not available at site for testing the generators, the Contractor shall provide dummy load at site at no extra cost to the Employer. The correct functioning of the control equipment shall also be proved.

#### **Battery Charger**

Battery charger shall be static type and shall provide for both trickle and boost charging of the batteries when the engine is not in operation. The charger shall be of suitable capacity to fully recharge the completely discharged batteries within four hours at boost charge.

#### **Control Panel**

The Control Panel shall provide all the necessary control and monitoring devices of the Diesel Generating Sets. All the control and monitoring of the safety devices, alarms, protections, meters, lamps, etc. as mentioned in this Specifications and required as per good engineering practices for such an installation shall be provided in the Control Panel.

#### 14.3 Transformer Tests

In addition to the insulation resistance test of the transformer, a polarity and phase rotation test shall also be made. Buchholz relay shall be tested for proper operation. Di-electric test shall be carried out on transformer oil prior to putting the same in operation.

(14)

#### 14.4 HT / LT Switchboards

Each circuit breaker shall be operated electrically and mechanically. All interlocks and control circuits shall be checked for proper connections in accordance with the wiring diagrams given by the manufacturer.

The Contractor shall properly identify the phases of all switchgear and cables for connections to give proper phase sequence.

Trip circuits shall be checked for correct operation and rating of equipment served. The correct size and function of fuses, disconnect switches, number of interlocks, indicating lights, alarms and remote control devices shall be in accordance with approved manufacturer drawings. Nameplates shall be checked

for proper designation of equipment served. Protective relays shall be tested and set at site prior to commissioning of the equipment.

#### 14.6 Insulation Resistance Test

Insulation resistance test shall be made on all electrical equipment by using a meggar of 500 volts for circuits upto 250 volts and 1000 volt for circuits between 250 and 500 volts. For testing of 11 kV circuits, upto 5

kV meggar shall be used; the exact voltage shall be as advised by the equipment manufacturer unless otherwise advised by the Engineer.

The insulation resistance values of cables, transformer, switchgears, etc., shall be as per BSS, IEEE, NEC, ICEA and Pakistan Electricity Rules.

Before making connections at the ends of each cable run or joint between cables, the insulation resistance test of each cable section shall be made. H.T. cables shall be subjected to high voltage test as per recommendations of standard to which the cable is manufactured. Each conductor of a multi-core cable shall be tested individually with each of the other conductor of the group and also with earth. If insulation resistance test readings are found to be less than the specified minimum in any conductor, the entire cable shall be replaced and tests repeated on new cable. If cable joint is provided, then each cable section shall be tested, and joint made only after the tests have been made satisfactorily. Finally the completed cable length including the joints shall be tested.

The transformer and switchgears shall be given an insulation resistance measurement test after installation, but before any wiring is connected. Insulation tests shall be made between open contacts of circuit breakers, switches and between each phase and earth.

If the insulation resistance of the circuit under test is less than the specified value, the cause of the low reading shall be determined and removed. Corrective measures shall include dryout procedure by means of heaters, if equipment is found to contain moisture. Where corrective measures are carried out, the insulation resistance readings shall be taken after the correction has been made and repeated twice at 12 hours interval. The maximum range for each reading in the three successive tests shall not exceed 20% of the average value, After all tests have been made, the equipment shall be reconnected as required. Polarity test shall be made on single pole switching devices.

#### 14.7 Earth Resistance Test

The Contractor shall make Earth resistance tests on the Earthing system, separating and reconnecting each earth connection.

If it is indicated that soil treatment or other corrective measures are required to lower the ground resistance values, the Engineer will determine the extent of such corrective measures.

The electrical resistance of the ECC together with the resistance of the Earthing leads measured from the connection with earth electrode to any other position in the complete installation shall not exceed one ohm.

Earth resistance test shall be performed as per Electrical Inspector's requirements. Where more than one earth electrodes are installed, the earth resistance test of each electrode shall be measured by means of resistance bridge instrument.

The complete lightning protection system shall be tested for continuity and earth resistance. The combined earth resistance at any point in the lightning protection system shall not exceed 10 ohms.

#### 14.8 Completed Tests

After any equipment has been tested, checked for operation, etc., and is accepted by the Engineer the Contractor shall be responsible for the proper protection of that equipment so that subsequent testing of other equipment do not cause any damage to the already tested equipment.

#### 14.9 Expenses

All expenses, i.e., daily allowance (as per NESPAK rules & policy), travelling, boarding and lodging for carrying out the tests and witnessing by the Engineer shall be borne by the Contractor and are deemed to have been included in the BOQ rates of the respective equipment(s) by the Contractor.

## 14.10 Spare Parts

Contractor shall provide necessary spare parts as per manufacturer's recommendation. The cost of each spare parts shall be carried over to relevant BOQ item and no extra payment shall be admissible in this regard.

## 14.11 Special Tools

Contractor shall provide special tools and instruments as may be deemed essential for assembly, adjustment, dismantling, installation and maintenance reasons. No separate payment shall be made for any special tools and instruments, and cost shall be deemed to be included in the cost of the Contract.

#### 15.0 APPENDICES TO BE FILLED IN BY THE BIDDER

(18)

The details regarding equipment manufacturers, deviations, etc., are to be furnished in the attached form of Bids.

#### 16.0 PAYMENT

No separate payment shall be made for work involved within the scope of this section unless specifically stated in the Bill of Quantities or herein.

# Volume-I

(1)

#### LIST OF APPROVED MANUFACTURERS AND BRANDS OF MATERIALS/EQUIPMENT

This list of approved manufacturer's or brands of different materials or equipments is provided in order to establish a standard level of performance and do not indicate any preference for a particular manufacture or material or brand. The Contractor is bound to provide and fix the material or equipments of superior quality approved by the Engineer from the list. However, the material provided from the list of approved manufacturer's shall meet the requirements of the BoQ, relevant specifications come under specification section 8001 of the bidding documents. The contractor shall directly procure material from factory source or the authorized dealers. The Contractor shall provide in support the delivery challan from factory or from supplier including letter of authorization for dealership, sole agent, distributor from the principal, for ensuring the quality, warranty and guarantee of purchased equipment.

SR. NO.	MATERIALS	MANUFACTURER/BRANDS OF MATERIALS/EQUIPMENT
	CABLES & ACCESSORIES	
1.	LV Wiring Cables (300 / 500 Volts)	Fast Cables, Pakistan Cables
2.	LV Power Cables (600 / 1000 Volts)	Fast Cables, Pakistan Cables
3.	High Voltage Cables(15 kV)	Fast Cables, Pakistan Cables
4.	MV Termination/Straight Jointing kit (Hot/Cold Termination)	Raychem, 3M
5.	CAT Cables	Corning
6.	Fire Resistant Cables	Belden, Prismian, Cavicel
7.	Glands, Lugs, Ferrules, Connectors	Cembre, Gewiss
8.	Cable Tagging/Labelling System	Cembre, Hellermanntyton
	PVC AND STEEL CONDUIT	(-)
9.	Electrical PVC Conduit & Accessories	Dadex, Dura Flow
10.	Steel Conduit & Accessories	IIL,
	ELECTRICAL COMPONENTS	
11.	LV Circuit Breakers (MCB, MCCB, ELCB, ACB) (	Schneider, ABB

12.	LV Magnetic Contactor, Starters & Thermal Overload Relay	Schneider, ABB		
13.	Power Factor Capacitor	Schneider, ABB, Nokian, RTR, Shizuki		
14.	LV Capacitor	Amber Capacitor, Entes, Nokian, Ducati, Schneider Electric		
15.	PF Controller	Schneider, ABB, Shizuki		
16.	Series Reactor	Nokian, Schneider Electric, ABB, GE, Shizuki		
17.	Timer	GE, National / Panasonic, Finder, Fuji, Hanyong		
18.	Push buttons and indication lights	GE, Maruyasu, Lovato, Fuji, Hanyong		
19.	Current Transformer/Voltage Transformer	Entes, Revalco, Circutor, Sacci, Frer, FICO		
20.	Measuring Instrument	Entes, Revalco, Circutor, Lovato, Schneider Electric, Hanyong		
21.	Programmable Logic Controllers	Siemens, ABB, Schneider Electric		
22.	VSS/ASS	Kraus & Naimer, Fuji, Hanyong		
23.	HRC Fuses	Siba, ETI, Voltran		
	TRANSFORMER			
24.	Oil Type Transformers (11/0.415 kV)	PEL		
25.	Dry Type Transformers (11/0.415 kV)	PEL-IMEFY, Schneider, ABB		
26.	LV Panel	Hussian & Co, Karimi Electromech, or Approved PARCO manufacturer's		
27.	11 kV Panels	Siemens, PEL, Schneider Electric, ABB		
28.	MV Surge Arrester	Siemens, PEL Schneider Electric, ABB		
	LIGHTING FIXTURE & COMPONENTS	Note: 3 <sup>rd</sup> Party Test Report(s) shall be submitted from IEC accredited laboratories for verification of Quality of Light Fixtures submitted by the Contractor and minimum 3 years warranty shall be provided. This clause in applicable to items from Serial No. 28 to 36.		

		1	
29.	Surface/recessed office luminaries	Philips (Signify), NVC, EAE, Ledvance, Opple	
30.	Battens	Philips (Signify), NVC, EAE, Ledvance, Opple	
31.	Downlights	Philips (Signify), NVC, EAE, Ledvance, Opple	
32.	Exit Emergency Light Fixture	Hochiki, NVC, EAE, Ledvance, Escalux	
33.	Lamps/LED chips	Source as approved by the "Engineer"	
34.	Control gear/LED drivers	Source as approved by the "Engineer"	
35.	Connectors/holders	Source as approved by the "Engineer"	
36.	Solar Light Standalone/System	Leadsun, Gewiss	
37.	Street Light	Philips (Signify), NVC, EAE, Ledvance	
	SWITCHES & SOCKETS		
38.	Switches	MK, Schneider Electric, ABB, Legrand, Philips (Signify)	
39.	Sockets	MK, Schneider Electric, ABB, Legrand, Philips (Signify)	
40.	Dimmer / Fan Speed Controller	MK, Schneider Electric, ABB, Legrand, Philips (Signify)	
41.	Connection Unit	MK, Schneider Electric, ABB, Legrand, Philips (Signify)	
42.	Voice/TV/Data Outlets	MK, Schneider Electric, ABB, Legrand, Philips (Signify)	
43.	Back Boxes	MK, Schneider Electric, ABB, Legrand, Philips (Signify) (4)	
44.	High Current Switches	MK, Schneider Electric, ABB, Legrand, Philips (Signify)	
45.	Industrial Switches, Plugs and Sockets	Walther, GARO, Schneider, Gewiss	
	DIESEL GENERATOR SET	Note: The Diesel Generator Suppliers shall have minimum 10 years of proven experience in selling and providing after sales services. The supplier shall show sizable frequency of DG set sales for a period of last 10 years for approval. This Clause is applicable to Serial No. 46.	

46.	Couplers	Caterpillar, CPG (Cummins), Onis Visa, SDMO, FG-Wilson, Synergy (The set shall be from above brands and is subject to approval of verification of import source and proper documentation. The engine and alternator shall not be old than 12 months from the date of purchase. Principal warranty of 3 years/3000 hours shall be provided. Load Testing shall be performed as per specifications.
47.	Engines from 10 kVA upto 500 kVA ratings	Caterpillar, Cummins, Perkins, Volvo
48.	Engines from 500 kVA upto 2500 kVA	Caterpillar, Cummins , MTU, Mitsubishi, Kohler
49.	Alternator	Caterpillar, Stamford, Leroy Somer, Mecc Alte, Kohler
50.	Generator Module	Deepsea Electronics, Caterpillar, Cummins, Kohler
51.	ATS/AMF, Generator Panels	Refer to heading Electrical Panels in the List of Approved Manufacturer's.
	ELECTRONICS/COMPUTER EQUIPMENT	
52.	UPS	APC, Eaton, Vertiv
53.	Fire Alarm/Fighting System	Coordinate with Building Maintenance Department
54.	Public Address System	TOA, Bosch, Honeywell
55.	Burglar Alarm System	DSC, Texicom, Bosch, Honeywell
56.	CCTV System (Ultra / Top Range Series is acceptable)	Pelco, Bosch, Axis Communication, Infinova
57.	CATV	WISI, Scientific Atlanta
58.	Lightning Protection, Earthing System & Surge Protection (European Origin)	Wallis, Furse (5)
59.	PABX	Panasonic
60.	Access Control System	Cavdax Gallaghev, Virdi, Salto
	COMPUTER NETWORK SYSTEM/COMPONENTS	
61.	Structured Cabling	Corning
62.	Ethernet Switches (Channelized Components + Smart Support with 2 years	CISCO or as mentioned in BoQ

Sign & Stamp of The Contractor

	principal warranty)	
	MISC MATERIALS	
63.	Construction Chemicals	Vandex, FEB, SIKA, Fosroc
64.	Cable Tray with accessories	Ashraf Industries, Electroline
65.	Street Lighting Poles	Jamal Pipes
66.	Power Supplies/Convertors	Siemens, ABB, PULS GmbH
67.	Industrial Plugs & Sockets	Walther, GARO, Schneider, Gewiss
68.	Junction Boxes (Polycarbonate DB)	HENSEL, Gewiss
69.	High Mast (up to 40 m)	Petit Jean, Metelogalva
70.	Ring Main Unit, MV Panels (Fixed Type Circuit Breaker)	Lucy Electric, Schneider Electric
71.	Ceiling Fan/Bracket Fan	Pak Fan, GFC, Royal, Yunas
72.	False Ceiling Fan	Voldam

(6)

#### **SCHEDULE - A TO BID**

#### Renovation Work at SECP Head office Islamabad

#### Bill of Quantity

S.No	Description	Unit	BOQ Qty	Rate (Rs.)	Amount (Rs.) Inlc of all aplplicable taxes		
1	<b>Dismantling:</b> Dismantling existing works Cladding, Electrical Fitting, tiles, removal of debris from site and its disposal as required by law and away from the site as per advice of the client.	L/S	1				
2	Carpet Flooring: Providing and laying of imported synthetic carpet tile of approved make, design and color, complete in all respect. (Interface brand) of Pak carpet with Base Price (Rs.580/sft)	Sft	600				
3	<b>Wood Skirting :</b> Providing and laying $2" \times 1/2"$ solid oak wood skirting with groves, including, polish and all hard wears complete in all respects as per design and as directed by the Consultant.	Rft	100				
4	Full Height Partation: Providing, fabricating and fixing in position 4" thick wooden partition, consisting of partal wood frame of size 2½"x1½" @ 2' c/c both ways, with glass wool 2" thick and 12 mm thick imported MDF boards. All wood should be termite proof complete in all respects.	Sft	450				
5	Glass Partation: Providing and fixing 12 mm thick imported Tempered SG clear glass glazing (make Pakistan cables or equilent) including all necessary fittings etc, as per drawing and design, complete in all respects as approved by the Consultant.	Sft	300				
6	Glass Door: Providing and fixing 12 mm thick imported Tempered SG clear tempered glass door locks SS "C" type handle, and imported Floor machine (make GCC) including all necessary fittings, lock etc,complete in all respects as approved by the Consultant	Sft	60				
7	<b>Frosting Tape:</b> Providing and installation of frosting tape (3m or equivalent) laser cut as per design, installed on glass doors and partitions complete in all respects as shown on drawings and as directed by the Consultant.	Sft	200				
8	Signage & Logo: Making and fixing signage and logo at walls with back side MDF Cladding complete in all respects as shown on drawings and as directed by the Consultant.	Job	1				
9	Roller Blinds: Providing and fixing of Roller blinds double layer Protectors brand of approved color and texture with imported strips and mechanism and locally manufactured aluminum channels, complete in all respects as per drawing and as instructed by the Consultant.	Sft	500				
10	Removing & Reusing Dampa Tile Ceiling: Removing, stacking and refaxing of 600 x 600mm Dampa false ceiling, with new aluminum foil at back side with imported aluminum powder coated of approved suspension system (CKM ceiling suspension system UT/FUT series), as per drawing and design complete in all respects.	Sft	550				
11	Paints Works: Providing and painting plastic emulsion paint on walls of desired color with prime coat of Deluxe or an approved equivalent, preparation of plastered surfaces with putting, as per approved manufacturer's specifications, complete in all respects	Sft	1800				
	Total Cost of Civil Work: (A)						

#### Renovation Work at SECP Head office Islamabad **Bill of Quantity** Amount (Rs.) Inlc of S.No Description Unit BOQ Qty Rate (Rs.) all aplplicable taxes Miscellaneous Work Chair: Providing of "Spirit interior" chair compleet in all respect. 1 Each 10 (Base Price Rs.60,000/-) Work Station: Providing of "Mobi Straight or Equivalent" work 2 station with Draw Unit complete in all respect (Base Price Each 10 Rs.30,000/-) Size 5'-0" x 2'-0" Credenza Table: Providing and fixing of Credenza Table as 2 3 Each approved Complete in all respect. (Printer & Storage) QLED 65 Inch 4K Smart TV: Providing and Installation of "Sony BRAVIA KD 65x75ak 65 Inches LED TV" Basic specification is 4 Fach 4 Resolution: 4K UHD, LED, Smart TV (Youtube, Internet Browsing e.t.c) Size: 65 Inch. Total Cost of Miscellaneous Works: (B) Electrical Work WIRING Α Wiring for light circuits in wired with 3X2.5 mm sq copper conductor from DB to Switch Baord and including PVC pipe make Adam jee, TF or approved equivalent from distribution 1 Each board to switchboard and between switch boards recess in ceiling, walls columns. complete in all respects. (Pakistan, Newage, Fast Cable or Equilent) Same as item no.1 above but wiring of light points from switch to point with 3X1.5 mm sq copper conductor cable, in and including PVC pipe recess in ceiling, walls, columns 10 A CLIPSAL E series or approved make single pole switch on 16 Each 10 SWG sheet steel powder coated box and 23/.0076 three core flexible cable from point to light fixture complete in all respects. (Pakistan, Newage, Fast Cable or Equilent) Same as item no.2 (a) above but wiring of light from point to 3 points complete in all respects. (Pakistan, Newage, Fast Cable or Each 10 Equilent) Wiring of 5A/15 A raw/ups circuit for switch socket away from switch board and wired with 3X2.5 mm sq copper conductor cable make Pakistan cables or approved equivalent from distribution board to switch socket in and including PVC Each 14 conduit make TF / ADAM JEE recess in ceiling, walls, columns complete in all respects. (Pakistan, Newage, Fast Cable or Same as item No 1 above but loop wiring from switch socket to switch socket with 3X2.5 mm sq cable, adjacent and back to back 5 Each 40 sockets shall be counted as one point. (Pakistan, Newage, Fast Cable or Equilent) Wiring of AC circuit for switch socket away from switch board and wired with 3X4 mm sq copper conductor cable make Pakistan cables or approved equivalent from distribution board 6 Each 3 to switch socket in and including PVC conduit make TF / ADAM JEE recess in ceiling, walls, columns complete in all respects. (Pakistan, Newage, Fast Cable or Equilent)

#### Renovation Work at SECP Head office Islamabad

#### **Bill of Quantity**

S.No	Description	Unit	BOQ Qty	Rate (Rs.)	Amount (Rs.) Inlc of all aplplicable taxes
7	Wiring for UPS light/RAW/POWER circuits in wired with 3X2.5 mm sq copper conductor from DB to Switch Baord and including PVC pipe make Adam jee,TF or approved equivalent from distribution board to switchboard and between switch boards recess in ceiling, walls columns. complete in all respects. (Pakistan, Newage, Fast Cable or Equilent)	Each	14		
8	Same as item no.8 above but UPS wiring of light/RAW/POWER points from switch to point with 3X1.5 mm sq copper conductor cable, in and including PVC pipe recess in ceiling, walls, columns 10 A CLIPSAL E series or approved make single pole switch on 16 SWG sheet steel powder coated box and 23/.0076 three core flexible cable from point to light fixture complete in all respects. (Pakistan, Newage, Fast Cable or Equilent)	Each	14		
9	Providing and fixing following switch sockets with steel back boxes made of 16 SWG sheet steel duly powder coated of approved colour and suitable to fix the following accessories.				
a)	1 X 13/15 A Flat/round 3 pin switch socket	Each	50		
b)	1 X 5A Socket	Each	30		
c)	1 X 15 A Flat/round pin switch socket	Each	12		
d)	Technology Box / Floor outlet box 1' x 1'	Each	13		
10	Wiring of Acess Card System with Cate-6 and supply 1.5mm in pvc counduit with acess card machine keycards or face detector and biomatric including softeware complete in all respect.	Each	1		
	Supply, installation, testing and commissioning of the following factory manufactured indoor floor/ wall mounted recesses/surface power distribution panels and boards for three phase 500 volt 50 cycles A/C power supply system, the board shall be fabricated with 16 SWG sheet steel duly powder coated before assembling with tinned bus bars of same size for phase, neutral and earth ,all circuit breakers shall be having minimum repturing capacity as mention or more, Cable glands shall be provided for incoming and out going cables as per site requirements				
В	Distribution Boards				
	Providing, fixing, testing and commissioning of following DB as per detail given in drawing complete in all respects.				
a)	DB-1 (L&P) Each 1				
С	LIGHT FIXTURES				
1	Supply,Installation,Testing and Commissioning of LED Panel light fixtures 2 'X 2' make Philips/Pierlight/Orange/Alba/Fiam or as approved equivalient,complete in all respects.		10		

#### Renovation Work at SECP Head office Islamabad **Bill of Quantity** Amount (Rs.) Inlc of all aplplicable taxes S.No Description Unit **BOQ Qty** Rate (Rs.) Wall Light/Ceiling: Supply, installation, testing and commissioning of Track Light Led Fixture With Channel. Housing: Made of Aluminum Powder Led Fixture With Channel. Housing: Made Of Aluminum Powder Coated White, 2 Each 2 Endcaps Made Of Solid Aluminium. as approved by the architect complete in all respects. Providing, Fixing, Testing and Commissioning of ceiling strip Rft 150 Rope light fixture, complete in all respects.

#### Renovation Work at SECP Head office Islamabad


#### **Bill of Quantity**

S.No	Description	Unit	BOQ Qty	Rate (Rs.)	Amount (Rs.) Inlc of all aplplicable taxes
D	TELEPHONE/COMPUTER				
1	Wiring for Telephone Points with 4 pair CAT 5 Telephone cable in and including PVC Conduit recess in Ceiling, Walls. Columns or on Surface in pvc Duct including 16SWG sheet Steel back box as per site Requirements Complete in all Respects.		12		
2	Wiring for Computer Net Working Points with 4 pair CAT-6 Computer Cable in and including PVC Conduit Recess in Ceiling, Walls, Columns or on Surface in Pvc Duct Including 16SWG Sheet Steel Back Box as Per site Requirements Complete in all Respects.		14		
3	Providing, Fixing, Testing and Commissioning of wall mounting 15 U data rack with required power supply, hinged glass door and ventilation fans, PDU, Rack Tray Complete in all respect.	Each	1		
4	Providing, Fixing, Testing and Commissioning of 24 port XL patch panels make as per approved manufacturer list complete in all respects.	Each	1		
5	Providing, Fixing, Testing and Commissioning of recess type telephone junction box with hinged door, dust proof and 1 X 50 pair CRONE make telephone connectors complete in all respects.	Each	1		
6	Telephone Cable 20 Pair.	Rft	300		
7	Patch Card 1 Meter	Each	14		
8	Patch Card 3 Meter	Each	14		
E	CABLE& CONDUITS				
	Supply, Laying, Connecting, Testing and Commissioning of Multi core/single core copper conductor PVC/PVC cables as per approved manufacturer list in PVC conduit/or on cable tray including necessary cable lugs, cable ties and colour tape as directed by the engineer complete in all respects.				
1	4 core 10mm sq (Existing DB on Same Floor to DB SOC Office)	Rft	120		
2	4 core 10mm sq (Existing UPS DB on Same Floor to DB SOC Office)	Rft	120		
3	4 core 10mm sq (Wapda Db to UPS DB)	mm sq (Wapda Db to UPS DB) Rft 20			
4	3" dia PVC Conduit	Rft	120		
F	FIRE ALARM SYSTEM				
1	Providing Wiring for Smoke Detectors with 2X 1.5 mm sq PVC cable in and including PVC pipe Recess in wall or on surface in dura duct as per site conditions or approved by the engineer complete in all respects. (Connect with Existing Fire Alarm Panel)	Each	2		

#### Renovation Work at SECP Head office Islamabad

#### **Bill of Quantity**

S.No	Description	Unit	BOQ Qty	Rate (Rs.)	Amount (Rs.) Inlc of all aplplicable taxes		
2	2 d) Smoke Dectors Complete In All Respect.		2				
G	CCTV SYSTEM						
1	Supply and Installation of Power wiring for CCTV cameras with 3 X 1.5 mm sq single core cables in PVC conduit/dura duct including 13 A switch socket for CCTV camera Complete in all respect.		1				
2	Supplied, Installation and Testing of Cate-6 Cable or with CAT-6  Data cable in already laid PVC conduit/dura duct for CCTV cameras Complete in all respect		1				
3	Installation, Testing and Commissioning of owner supplied CCTV Camera & DVR.	Job	1				
Н	H SPLIT A/C SYSTEM.						
1	Supply,Installation,Testing & Commissioning Drain piping with class-D pvc pipe including cutting of floor/walls & its repair complete in all respect.						
	3/4" dia	Rft	300				
2	2 COPPER PIPING						
a)	Supply,Installation,Testing & Commissioning of Copper piping for 2 ton sInverter Ceiling Cassette Type units including Aero Flex insulation,Control wiring complete in all respects.		400				
2	Supply,Installation,Testing & Commissioning of 2 Ton Inverter Ceiling Cassette Type AC hanged with Ceiling Complete in all respect. (Kenwood/Gree/Haier or Equilent)	Each	2				
3	Supply,Installation,Testing & Commissioning of Angle iron brackets for outer units		2				
4	Patch panel 24 port in imported brand	each	2				
5	Electrical DB size 18 inch x 15 inch						
	Total Cost of Electrical & HVAC Works: (C)-						
	Total Cost of Civil, Misc & Electrical/HVAC Works (A+B+C):						



SR#	TITLE/DRAWING DESCRIPTION	DWG No
1	RENDERED 3D PLAN	ID-01
2	3D VIEW -01	ID-02
3	3D VIEW -02	ID-03
4	3D VIEW -03	ID-04
5	3D VIEW -04	ID-05
6	FURNITURE LAYOUT & WORKING PLAN	ID-06
7	ELEVATION -01	ID-07
8	ELEVATION -02	ID-08
9	ELEVATION -03 & ELEVATION -04	ID-09
10	ELEVATION -05	ID-10



GENERAL NOTES

COORDINATE ALL WORK WITH ARCHITECTURAL DRAWINGS AND SPECIFICATIONS.

NUMERICAL DIMENSIONS SHALL TAKE PRIORITY OVER SCALED DRAWINGS. FOR THIS PROJECT THE DRAWINGS. SHOULD BE READ IN MILLIMETERS.
SHOULD BE READ IN MILLIMETERS.
CONTRACTOR SHALL VERIFY ALL DIMENSIONS AT JOB SITE DISCREPANCIES ANDIOR VARIATIONS SHALL BE IMMEDIATELY REPORTED TO THE ARCHITECT.

ALL WORK SHALL BE DONE IN ACCORDANCE WITH APPLICABLE CODES AND STANDARDS.
ALL MATTERS OF COLOUR, TEXTURE, DESIGN AND INTERPRETATIONS OF DRAWINGS SHALL BE REFERRED.
BY THE CONTRACTOR TO THE ARCHITECT, IN THE EVENT SUCH MATTERS ARE NOT ADEQUATELY COVERED IN DRAWINGS.
THE CONTRACTOR SHALL PROVIDE ALL NECESSARY PROTECTION OF EXISTING WORK AND NEWLY ADDED WORK.
THE CONTRACTOR SHALL PROVIDE ALL NEESSARY PROTECTION OF EXISTING WORK AND ITEMS DAMAGED AS A RESULT OF BUILDING OPERATIONS AND SHALL LEAVE THE WORK COMPLETED TO THE TRUE INTENT OF THE DRAWINGS AND SPECIFICATIONS AND TO THE SATISFACTION OF THE ARCHITECT AND OWNER AT NO ADDITIONAL COST TO THE OWNER.

-	-	-	-
REV	DATE	DESCRIPTION	SIGN
DEVISIONS			

CONSULTANT:

WAQAR ALAM KHAN



SECURITIES AND
EXCHANGE COMMISION OF
PAKISTAN

PROPOSED DESIGN OF RENOVATION WORK FOR SECP 4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

LIST OF DRAWINGS

STATUS

CONSTRUCTION DRAWING

DESIGNED	ALAM KHAN	DRAWING NO	
DRAWN TAIGHONA		INDEX	
SCALE NTS	DATE JUN-2024	REVISION 00	







-	-	-	-		
REV	DATE	DESCRIPTION	SIGN		
	REVISIONS				

WAQAR ALAM

KHAN

CONSULTANT:



SECURITIES AND
EXCHANGE COMMISION OF
PAKISTAN


PROPOSED DESIGN OF RENOVATION WORK FOR SECP

4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

SECURITY OPERATIONS CENTER PLAN TOP VIEW

STATUS

DESIGNED		DRAWING NO
WAC	AR ALAM KHAN	15.04
DRAWN		D-01
	TAIGHONA	
SCALE	DATE	REVISION
NTS	JUN-2024	00







-	-	-	-	
REV	DATE	DESCRIPTION	SIGN	
PEVISIONS				

CONSULTANT:

KHAN




SECURITIES AND
EXCHANGE COMMISION OF
PAKISTAN

PROPOSED DESIGN OF RENOVATION WORK FOR SECP 4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

3D VIEW -01

DESIGNED WAQAR	ALAM KHAN	DRAWING NO
DRAWN TA	IGHONA	ID-02
SCALE NTS	DATE JUN-2024	REVISION 00







-	-	-	-	
REV	DATE	DESCRIPTION	SIGN	
BEVISIONS				

CONSULTANT:



SECURITIES AND
EXCHANGE COMMISION OF
PAKISTAN

PROPOSED DESIGN OF RENOVATION WORK FOR SECP 4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.


3D VIEW -02

STATUS

DESIGNED		DRAWING NO
WAQAR ALAM KHAN		ID 00
DRAWN		ID-03
TA	GHONA	
SCALE	DATE	REVISION
NTS	JUN-2024	00







VIEW -03
ID-00 SCALE NTS

-		-	-		
REV	DATE	DESCRIPTION	SIGN		
	BEVISIONS				

CONSULTANT:




SECURITIES AND
EXCHANGE COMMISION OF
PAKISTAN

PROPOSED DESIGN OF RENOVATION WORK FOR SECP 4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

3D VIEW -03

DESIGNED		DRAWING NO
WAQAR ALAM KHAN		ID 04
DRAWN TAIGHONA		ID-04
SCALE	DATE	REVISION
NTS	JUN-2024	00







CONSULTANT:

KHAN



SECURITIES AND
EXCHANGE COMMISION OF
PAKISTAN


PROPOSED DESIGN OF RENOVATION WORK FOR SECP 4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.


3D VIEW -04

STATUS CONSTRUCTION DRAWING


DESIGNED WAGAR ALAM KHAN  DRAWN TAIGHONA  TAIGHONA  DRAWING NO  ID-05		000		
DRAWN ID-05	DRAWING NO	DESIGNED		
	15.05	WAQAR ALAM KHAN		
TAIGHONA	ID-05			
SCALE DATE REVISION	REVISION	DATE	SCALE	
NTS JUN-2024 00	00	JUN-2024	NTS	











	SCHEDULE OF FINISHES					
S/no.	DESCRIPTION	Material	Color	Size		
01	4" THICK PARTITIONS	MDF	As Per Approved	****		
02	GLASS PARTITION	12MM THK. TEMPERED GLASS	FROSTED	5'-0"x7'-0"		
03	GLASS DOOR	12MM THK. TEMPERED GLASS	FROSTED	* * * *		
04	SKIRTING	WOODEN SKIRTING	As Per Approved	****		
05	EXISTING COLUMNS	PAINT FINSH	As Per Approved	****		
06	FLOORING	CARPET TILE	As Per Approved	***		



## ENERAL NOTES

COORDINATE ALL WORK WITH ARCHITECTUR

- NUMERICAL DIMENSIONS SHALL TAKE PRIORITY OF SCALED DRAWINGS, FOR THIS PROJECT THE DRAWINGS
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS AT JUSTIE. DISCREPANCIES AND/OR VARIATIONS SHALL E
- IMMEDIATELY REPORTED TO THE ARCHITECT.

   ALL WORK SHALL BE DONE IN ACCORDANCE WITH
- APPLICABLE CODES AND STANDARDS.
- REFERRED
  BY THE CONTRACTOR TO THE ARCHITECT, IN TH
- COVERED IN DRAWINGS.

  THE CONTRACTOR SHALL PROVIDE ALL NECESSAF
  PROTECTION OF EXISTING WORK AND NEWLY ADD
- WORK.
- ORIGINAL CONDITION ALL WORK AND ITEMS DAMAG AS A RESULT OF BUILDING OPERATIONS AND SHALL LEAVE THE WORK COMPLETED TO THE TRUE INTEN
- THE DRAWINGS AND SPECIFICATIONS AND TO THE SATISFACTION OF THE ARCHITECT AND OWNER AT NO ADDITIONAL COST TO THE OWNER.

-		-	-
REV	DATE	DESCRIPTION	SIGN
		REVISIONS	

CONSULTANT:

WAQAR ALAM KHAN



SECURITIES AND
EXCHANGE COMMISION OF
PAKISTAN


PRO

PROPOSED DESIGN OF RENOVATION WORK FOR SECP 4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

TITLE

**ELEVATION-01** 

DESIGNED WAQAR	ALAM KHAN	DRAWING NO
DRAWN TAI	GHONA	ID-07
SCALE NTS	DATE JUN-2024	REVISION 00





## ENERAL NOTES

- OORDINATE ALL WORK WITH ARCHITECTURAL
- NUMERICAL DIMENSIONS SHALL TAKE PRIORITY OF SCALED DRAWINGS. FOR THIS PROJECT THE DRAWINGS
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS AT JO SITE. DISCREPANCIES AND/OR VARIATIONS SHALL BE
- ALL WORK SHALL BE DONE IN ACCORDANCE WITH
- ALL MATTERS OF COLOUR, TEXTURE, DESIGN AN INTERPRETATIONS OF DRAWINGS SHALL BE REFERRED
- EVENT SUCH MATTERS ARE NOT ADEQUATELY COVERED IN DRAWINGS.
- PROTECTION OF EXISTING WORK AND NEWLY ADDED WORK.
- THE CONTRACTOR SHALL REPAIR AND RESTORE TO ITS
- ORIGINAL CONDITION ALL WORK AND ITEMS DAMAG AS A RESULT OF BUILDING OPERATIONS AND SHALL LEAVE THE WORK COMPLETED TO THE TRUE INTEN
- THE DRAWINGS AND SPECIFICATIONS AND TO THE SATISFACTION OF THE ARCHITECT AND OWNER AT I ADDITIONAL COST TO THE OWNER.



	ELEVATION -02, 3D VIEW
ID-00	SCALE NTS

ID-00 | SCALE 1/4"= 1'-0"

	SCHEDULE OF FINISHES							
S/no. DESCRIPTION Material Color Size								
01	4" THICK PARTITIONS	MDF	As Per Approved	***				
02	GLASS PARTITION	12MM THK. TEMPERED GLASS	FROSTED	5'-0"x7'-0"				
03	GLASS DOOR	12MM THK. TEMPERED GLASS	FROSTED	****				
04	SKIRTING	WOODEN SKIRTING	As Per Approved	****				
05	EXISTING COLUMNS	PAINT FINSH	As Per Approved	****				
06	FLOORING	CARPET TILE	As Per Approved	****				

	-	-		-
	REV	DATE	DESCRIPTION	SIGN
			REVISIONS	

REVISIO

CONSULTANT:

WAQA ALAM



SECURITIES AND EXCHANGE COMMISION OF PAKISTAN

PROJECT


PROPOSED DESIGN OF RENOVATION WORK FOR SECP

4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.


TITLE

ELEVATION-02


DESIGNED WAQAR	ALAM KHAN	DRAWING NO
DRAWN TAI	GHONA	ID-08
SCALE NTS	DATE JUN-2024	REVISION 00








ELEVATION -04, 3D VIEW SCALE NTS



ELEVATION -03

SCALE 1/4"= 1'-0"



	SCHEDULE OF FINISHES						
S/no.	DESCRIPTION	Material	Color	Size			
01	4" THICK PARTITIONS	MDF	As Per Approved	****			
02	GLASS PARTITION	12MM THK. TEMPERED GLASS	FROSTED	5'-0"x7'-0"			
03	GLASS DOOR	12MM THK. TEMPERED GLASS	FROSTED	***			
04	SKIRTING	WOODEN SKIRTING	As Per Approved	***			
05	EXISTING COLUMNS	PAINT FINSH	As Per Approved	****			
06	FLOORING	CARPET TILE	As Per Approved	****			




## **GENERAL NOTE**

DORDINATE ALL WORK WITH ARCHITECTURAL
PAWINGS AND SPECIFICATIONS

- NUMERICAL DIMENSIONS SHALL TAKE PRIORITY OV SCALED DRAWINGS. FOR THIS PROJECT THE DRAWINGS
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS AT JO SITE. DISCREPANCIES AND/OR VARIATIONS SHALL BE
- ALL WORK SHALL BE DONE IN ACCORDANCE WI APPLICABLE CODES AND STANDARDS.
- INTERPRETATIONS OF DRAWINGS SHALL BE
  REFERRED
  RE
- EVENT SUCH MATTERS ARE NOT ADEQUATELY COVERED IN DRAWINGS.

  THE CONTRACTOR SHALL PROVIDE ALL NECESSA
- WORK.
- ITS
  ORIGINAL CONDITION ALL WORK AND ITEMS DAM
  AS A RESULT OF BUILDING OPERATIONS AND SHA
  LEAVE THE WORK COMPLETED TO THE TRUE INTE
- THE DRAWINGS AND SPECIFICATIONS AND TO THE SATISFACTION OF THE ARCHITECT AND OWNER AT NO ADDITIONAL COST TO THE OWNER.



CONSULTANT:

ARCHITEC

WAQAR ALAM KHAN



SECURITIES AND EXCHANGE COMMISION OF PAKISTAN


PROJECT

PROPOSED DESIGN OF RENOVATION WORK FOR SECP

4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

ELEVATION-03 & 04

DESIGNED		DRAWING NO	
WAQAR	ALAM KHAN	ID-09	
DRAWN		9ט-עו ן	
TAI	GHONA		
SCALE	DATE	REVISION	
NTS	JUN-2024	00	





**ELEVATION -02** 

ID-00 SCALE 1/4"= 1'-0"



4" THK. MDF PARTITION

3/4" THK. MDF SHEET

SCHEDULE OF FINISHES									
S/no.	DESCRIPTION	Material	Color	Size					
01	4" THICK PARTITIONS	MDF	As Per Approved	***					
02	GLASS PARTITION	12MM THK. TEMPERED GLASS	FROSTED	5'-0"x7'-0"					
03	GLASS DOOR	12MM THK. TEMPERED GLASS	FROSTED	***					
04	SKIRTING	WOODEN SKIRTING	As Per Approved	***					
05	EXISTING COLUMNS	PAINT FINSH	As Per Approved	***					
06	FLOORING	CARPET TILE	As Per Approved	***					

LED BACKLIT AS PER APPROVED


3'-2<u>1</u>"

3/4" THK. MDF SHEET

LED BACKLIT AS PER APPROVED

3/4" THK. MDF SHEET





CONSULTANT:

KHAN



SECURITIES AND EXCHANGE COMMISION OF **PAKISTAN** 

PROPOSED DESIGN OF RENOVATION WORK FOR SECP


4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

**ELEVATION-05** 

CONSTRUCTION DRAWING

ID-10 DRAWN





LIGHT FIXTURES SCHEDULE					
LEGEND	DESCRIPTION	REMARKS			
	RECESSED MOUNTED LED LIGHT FIXTURE (600MM BY 600MM) SUITABLE FOR GYPSUM BOARD OR ALUMINIUM PANEL/DAMPA FALSE CEILING, IP20, PHILIPS TYPE SMART PANEL 2.0 RC160VLED34S-PSU OR EQUIVALENT*	CEILING RECESSED			
	LINEAR PENDANT FITTING LED FIXTURE 27W. HOUSING: MADE OF ALUMINUM POWDER COATED WHITE, ENDCAPS MADE OF SOLID ALUMINIUM.	HANGING TYPE			
+	TRACK LIGHT LED FIXTURE WITH CHANNEL. HOUSING: MADE OF ALUMINUM POWDER COATED WHITE, ENDCAPS MADE OF SOLID ALUMINIUM.	SURFACE / PENDANT			
	DISTRIBUTION PANEL BOARD" LABEL INDICATES PANEL BOARD DESIGNATION RELATIVE TO ITS LOCATION, 400/230V, 3PH, 4W+G.				
ф	SINGLE CONVENIENCE OUTLET, 13A, 230V, MOUNTING HEIGHT AT 0.30M. AFF.				
<u></u>	SINGLE CONVENIENCE OUTLET, 15A, 230V, 2P+EARTH, 3W. GROUNDING, TYPE. MOUNTING HEIGHT AT 0.30M. AFF.				
<b>•</b>	RJ-45 OUTLET FOR TELEPHONE				
	RJ—45 OUTLET FOR DATA				
	INDOOR AC SPLIT UNIT 220V, 1PH, 50HZ				
SD	SMOKE DETECTOR COMPLIANT WITH EXISTING SYSTEM				
Ğ	SINGLE CONVENIENCE OUTLET, 13A, 230V, MOUNTING HEIGHT: ABOVE CEILING				
C	RJ-45 OUTLET FOR DATA MOUNTING HEIGHT: ABOVE CEILING				
J	ONE WAY SWITCH. NO. OF GANGS AS MENTIONED				



REVISIONS

CONSULTANT:
ARCHITE

WAQAR ALAM KHAN



SECURITIES AND
EXCHANGE COMMISION OF
PAKISTAN

PROJEC

PROPOSED DESIGN OF RENOVATION WORK FOR SECP


4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

TITLE


LEGEND & GENERAL NOTES

STATUS


DESIGNED		DRAWING NO
S.S		- A4
DRAWN		E-01
M.A		
SCALE	DATE	REVISION
NTS	DEC-2023	00



# LIGHTING LAYOUT OPTION - 1



LIGHTING LAYOUT OPTION - 2



CONSULTANT:

KHAN




SECURITIES AND **EXCHANGE COMMISION OF PAKISTAN** 


PROPOSED DESIGN OF RENOVATION WORK FOR SECP 4TH FLOOR, NICL BUILDING,

63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

LIGHTING LAYOUTS

DESIGNED		DRAWING NO		
S.5	S.S			
DRAWN		E-02	<u>′</u>	
M.A				
SCALE	DATE	REVISION		
NTS	DEC-2023		00	





# FIRE ALARM LAYOUT

NOTE:

THE SMOKE DETECTORS IF ALREADY EXISTS AND IN GOOD WORKING CONDITIONS WILL BE USED.

-	-	-	-
REV	DATE	DESCRIPTION	SIGN

REVISIONS

CONSULTANT:

WAQAF ALAM KHAN



SECURITIES AND
EXCHANGE COMMISION OF
PAKISTAN

PROJEC

PROPOSED DESIGN OF RENOVATION WORK FOR SECP

4TH FLOOR, NICL BUILDING, 63-JINNAH AVENUE. BLUE AREA, ISLAMABAD.

TITLE

FIRE ALARM SYSTEM & CCTV SYSTEM LAYOUTS

DESIGNED		DRAWING NO	
S.S	3	F 0.4	
DRAWN		E-04	
M.A			
SCALE	DATE	REVISION	
NTS	DEC-2023	00	

